

Direct and Inverse Variation

Algebra 1 • Section 5.7

Name: _____

Date: _____

Score: _____ / 12

Quick Review and Helpful Hints

A function pairs each input with exactly one output. Pay attention to what the input means, what rule is being applied, and whether the question asks for a value, a rule, a domain, or an interpretation.

► **Example:** For $f(x) = 2x + 5$, find $f(4)$.

Work: Replace x with 4: $f(4) = 2(4) + 5 = 13$.

★ **Answer:** 13

◆ Practice Problems

Solve each problem. Show enough work that another student could follow your thinking.

1. Find the inverse of $f(x) = x + 7$. _____

6. Find $f^{-1}(10)$ if $f(x) = 5x$. _____

2. Find the inverse of $f(x) = 3x$. _____

7. Find the inverse of $f(x) = -x + 6$. _____

3. Find the inverse of $f(x) = 2x - 5$. _____

8. Verify one point: if $(4, 11)$ is on f , what point is on f^{-1} ? _____

4. Find the inverse of $f(x) = \frac{x}{4} + 1$. _____

9. Find the inverse of $f(x) = \frac{2}{3}x + 8$. _____

5. Are $f(x) = x - 9$ and $g(x) = x + 9$ inverses? _____

10. Is $f(x) = x^2$ over all real numbers one-to-one? _____

◆ Word Problems

11. A Celsius formula is $F = \frac{9}{5}C + 32$. Solve for C . _____

12. A machine multiplies by 4 and then adds 3. What inverse steps undo it? _____



Answer Keys

1. $f^{-1}(x) = x - 7$

2. $f^{-1}(x) = \frac{x}{3}$

3. $f^{-1}(x) = \frac{x+5}{2}$

4. $f^{-1}(x) = 4x - 4$

5. Yes

6. 2

7. $f^{-1}(x) = -x + 6$

8. (11, 4)

9. $f^{-1}(x) = \frac{3}{2}(x - 8)$

10. No

11. $C = \frac{5}{9}(F - 32)$

12. Subtract 3, then divide by 4

Step-by-Step Explanations

1. An inverse reverses the action: this function adds 7, so its inverse subtracts 7.
2. To undo multiplying by 3, you do the opposite — divide by 3.
3. Trade x and y , then untangle $x = 2y - 5$ for y to reveal the inverse.
4. Swap, then solve $x = y/4 + 1$: subtract the 1, multiply by 4, and you've reversed it.
5. They cancel each other out — subtracting 9 and adding 9 bring you right back to start.
6. The inverse asks: what input would have produced 10? Solve $5x = 10$ to find 2.

7. Swap and solve and you get the exact same rule — this line is its own inverse, kind of cool.
8. Inverses trade inputs and outputs, so the point simply flips its coordinates.
9. Peel off the 8 first, then multiply by the reciprocal $\frac{3}{2}$ to undo the $\frac{2}{3}$.
10. Both 2 and -2 map to 4, so reversing it would leave 4 confused about where to go.
11. Work backward from F : subtract 32, then multiply by $\frac{5}{9}$ to free C .
12. To unwind a process, reverse both the steps and their order — last action gets undone first.



Want Even More Algebra 1 Practice?



North Carolina Algebra I Preparation Bundle

18 full-length practice tests across three books
Fresh test practice, detailed explanations, and organized review



18 Tests
3 Books
One Bundle

Important: These Algebra 1 resources are made for extra practice after the worksheet. Use the QR code for the state or program bundle connected with this worksheet.

Skill Review

- ✓ Strengthens equations, functions, systems, and modeling
- ✓ Supports steady review before tests
- ✓ Good for tutoring, homework, and independent practice

Build the foundation.

Test Practice

- ✓ Full-length practice tests for realistic pacing
- ✓ Detailed answer explanations for every test
- ✓ Useful after students finish topic worksheets

Practice with purpose.

Confidence

- ✓ Turns mistakes into targeted review
- ✓ Helps students see progress over time
- ✓ Keeps preparation organized and calm

Move forward prepared.