

Graphing Exponential Functions

Algebra 1 •Section 11.1

Name: _____	Date: _____	Score: _____ / 12
-------------	-------------	-------------------

Quick Review and Helpful Hints

Exponential models multiply by a constant factor over equal input intervals. Compare the initial value, multiplier, and long-term behavior before deciding what the model means.

▷ **Example:** Evaluate $100(1.05)^2$.

Work: Square the growth factor: $1.05^2 = 1.1025$. Then multiply: $100(1.1025) = 110.25$.

★ **Answer:** 110.25

◆ Practice Problems

Solve each problem. Show enough work that another student could follow your thinking.

- | | |
|---|--|
| <p>1. Evaluate 2^x at $x = 5$.
_____</p> <p>2. Find the initial value of $y = 4(3)^x$.
_____</p> <p>3. Is $y = 7(0.5)^x$ growth or decay?
_____</p> <p>4. Find y when $x = 2$ for $y = 5(2)^x$.
_____</p> <p>5. Find the horizontal asymptote of $y = 3^x$.
_____</p> | <p>6. Describe $y = 2^x + 4$.
_____</p> <p>7. Describe $y = 3(2)^x$ compared with $y = 2^x$.
_____</p> <p>8. Find y when $x = -1$ for $y = 10(2)^x$.
_____</p> <p>9. Which point is on $y = 2^x$: (3, 8) or (3, 6)?
_____</p> <p>10. Find the multiplier in $y = 6(1.25)^x$.
_____</p> |
|---|--|

◆ Word Problems

11. A rumor triples each hour from 4 people. Write the model.

12. A sample halves every day from 160 grams. Write the model.



Answer Keys

- | | |
|---------------|--------------------------|
| 1. 32 | 7. Vertical stretch by 3 |
| 2. 4 | 8. 5 |
| 3. Decay | 9. (3, 8) |
| 4. 20 | 10. 1.25 |
| 5. $y = 0$ | 11. $4 \cdot 3^h$ |
| 6. Shift up 4 | 12. $160(0.5)^d$ |

Step-by-Step Explanations

- Multiply 2 by itself five times and you reach $2^5 = 32$.
- At $x = 0$ the power 3^0 is just 1, so the output starts at the coefficient 4.
- With a base between 0 and 1, each step shaves the value down — so it's decaying.
- First $2^2 = 4$, then multiply by the 5 out front to get 20.
- As x runs negative, 3^x keeps shrinking toward zero but never quite touches the x -axis.
- That +4 tacked on outside lifts every point of the graph up by 4.
- Multiplying the whole thing by 3 triples every output, stretching the graph tall.
- A negative exponent flips it, so $2^{-1} = \frac{1}{2}$, and $10 \times \frac{1}{2} = 5$.
- Check the rule: $2^3 = 8$, so (3, 8) is the one that actually lands on the curve.
- The base is the number doing the repeated multiplying, so here that's 1.25.
- Start with 4 people, and tripling each hour makes 3 the repeated multiplier.
- Begin at 160 grams, and cutting in half daily means multiplying by 0.5 each day.



Want Even More Algebra 1 Practice?



Idaho Algebra I Preparation Bundle

18 full-length practice tests across three books
Fresh test practice, detailed explanations, and
organized review



18 Tests
3 Books
One Bundle

Important: These Algebra 1 resources are made for extra practice after the worksheet. Use the QR code for the state or program bundle connected with this worksheet.

Skill Review

- ✓ Strengthens equations, functions, systems, and modeling
- ✓ Supports steady review before tests
- ✓ Good for tutoring, homework, and independent practice

Build the foundation.

Test Practice

- ✓ Full-length practice tests for realistic pacing
- ✓ Detailed answer explanations for every test
- ✓ Useful after students finish topic worksheets

Practice with purpose.

Confidence

- ✓ Turns mistakes into targeted review
- ✓ Helps students see progress over time
- ✓ Keeps preparation organized and calm

Move forward prepared.