

Box Plots and IQR

Name: _____ Date: _____ Score: _____ / 24

Q Quick Review

A **box plot** displays a data set's **five-number summary**: the *minimum*, the **first quartile** Q_1 , the **median**, the **third quartile** Q_3 , and the *maximum*. To find them, sort the data, find the median (the middle), then Q_1 is the median of the *lower half* and Q_3 is the median of the *upper half*. (When the count is odd, leave the overall median out of both halves.) The **interquartile range** is $IQR = Q_3 - Q_1$ — it measures the spread of the *middle half* of the data and is not affected by extreme values.

◇ **Example:** Find the five-number summary and IQR of 5, 7, 9, 11, 13, 15, 17.
 ⇒ The data is already sorted, and there are 7 values, so the **median** is the 4th value: 11. The *lower half* is 5, 7, 9 (everything before the median), so Q_1 is its middle value, 7. The *upper half* is 13, 15, 17, so Q_3 is its middle value, 15. The minimum is 5 and the maximum is 17. Finally, $IQR = Q_3 - Q_1 = 15 - 7 = 8$.

Answer: min 5, Q_1 7, med 11, Q_3 15, max 17; IQR = 8

PRACTICE

Find the five-number summary and IQR of each data set.

- | | | | |
|--------------------------------|-------|---|-------|
| 1. 2, 4, 6, 8, 10 | _____ | 11. 2, 5, 8, 11, 14, 17, 20, 23 | _____ |
| 2. 1, 3, 5, 7, 9, 11, 13 | _____ | 12. 9, 9, 9, 9, 15 | _____ |
| 3. 10, 12, 14, 16, 18, 20 | _____ | 13. 10, 20, 30, 40, 50, 60 | _____ |
| 4. 5, 7, 9, 11, 13, 15, 17, 19 | _____ | 14. 5, 5, 10, 10, 15, 15 | _____ |
| 5. 3, 3, 5, 7, 9 | _____ | 15. 2, 4, 4, 6, 8, 10, 12 | _____ |
| 6. 2, 2, 4, 6, 8, 10, 12 | _____ | 16. 7, 8, 9, 10, 11, 12, 13 | _____ |
| 7. 4, 8, 12, 16, 20, 24 | _____ | 17. For 5, 8, 12, 16, 19, find the range | _____ |
| 8. 11, 13, 15, 17, 19 | _____ | 18. If $Q_1 = 14$ and $Q_3 = 22$, find the IQR | _____ |
| 9. 6, 6, 6, 10, 14, 18 | _____ | 19. If $Q_1 = 30$ and $IQR = 25$, find Q_3 | _____ |
| 10. 1, 4, 7, 10, 13, 16, 19 | _____ | 20. For 6, 6, 6, 6, find the IQR | _____ |

◆ Word Problems

21. A class scored 60, 70, 80, 90, 100 on a quiz. Find the five-number summary and the IQR. _____
22. Daily high temperatures were 58, 62, 66, 70, 74, 78, 82 degrees. Find the IQR and explain what it tells you. _____
23. Two stores' wait times (minutes) are Store A: 2, 4, 6, 8, 10 and Store B: 4, 5, 6, 7, 8. Which store's middle half is more spread out? _____
24. A coach records long-jump distances (ft): 9, 11, 13, 15, 17, 19. Find Q_1 , Q_3 , and the IQR. _____



Answer Keys


- | | |
|--|--|
| <p>1. 2, 3, 6, 9, 10; IQR 6</p> <p>2. 1, 3, 7, 11, 13; IQR 8</p> <p>3. 10, 12, 15, 18, 20; IQR 6</p> <p>4. 5, 8, 12, 16, 19; IQR 8</p> <p>5. 3, 3, 5, 8, 9; IQR 5</p> <p>6. 2, 2, 6, 10, 12; IQR 8</p> <p>7. 4, 8, 14, 20, 24; IQR 12</p> <p>8. 11, 12, 15, 18, 19; IQR 6</p> <p>9. 6, 6, 8, 14, 18; IQR 8</p> <p>10. 1, 4, 10, 16, 19; IQR 12</p> <p>11. 2, 6.5, 12.5, 18.5, 23; IQR 12</p> <p>12. 9, 9, 9, 12, 15; IQR 3</p> | <p>13. 10, 20, 35, 50, 60; IQR 30</p> <p>14. 5, 5, 10, 15, 15; IQR 10</p> <p>15. 2, 4, 6, 10, 12; IQR 6</p> <p>16. 7, 8, 10, 12, 13; IQR 4</p> <p>17. 14</p> <p>18. 8</p> <p>19. 55</p> <p>20. 0</p> <p>21. min 60, Q_1 65, med 80, Q_3 95, max 100; IQR = 30</p> <p>22. IQR = 16 degrees</p> <p>23. Store A IQR = 6, Store B IQR = 3; Store A is more spread out</p> <p>24. $Q_1 = 11$, $Q_3 = 17$; IQR = 6</p> |
|--|--|

Step-by-Step Explanations

- | | |
|--|--|
| <p>1. Median = 6. Lower half 2, 4 gives $Q_1 = 3$; upper half 8, 10 gives $Q_3 = 9$. IQR = $9 - 3 = 6$.</p> <p>2. Median = 7. Lower half 1, 3, 5 gives $Q_1 = 3$; upper half 9, 11, 13 gives $Q_3 = 11$. IQR = 8.</p> <p>3. Median = $\frac{14+16}{2} = 15$. Lower half 10, 12, 14 gives $Q_1 = 12$; upper half 16, 18, 20 gives $Q_3 = 18$. IQR = 6.</p> <p>4. Median = $\frac{11+13}{2} = 12$. Lower half 5, 7, 9, 11 gives $Q_1 = 8$; upper half 13, 15, 17, 19 gives $Q_3 = 16$. IQR = 8.</p> <p>5. Median = 5. Lower half 3, 3 gives $Q_1 = 3$; upper half 7, 9 gives $Q_3 = 8$. IQR = $8 - 3 = 5$.</p> <p>6. Median = 6. Lower half 2, 2, 4 gives $Q_1 = 2$; upper half 8, 10, 12 gives $Q_3 = 10$. IQR = 8.</p> <p>7. Median = $\frac{12+16}{2} = 14$. Lower half 4, 8, 12 gives $Q_1 = 8$; upper half 16, 20, 24 gives $Q_3 = 20$. IQR = 12.</p> <p>8. Median = 15. Lower half 11, 13 gives $Q_1 = 12$; upper half 17, 19 gives $Q_3 = 18$. IQR = 6.</p> <p>9. Median = $\frac{6+10}{2} = 8$. Lower half 6, 6 gives $Q_1 = 6$; upper half 10, 14, 18 gives $Q_3 = 14$. IQR = 8.</p> <p>10. Median = 10. Lower half 1, 4, 7 gives $Q_1 = 4$; upper half 13, 16, 19 gives $Q_3 = 16$. IQR = 12.</p> <p>11. Median = $\frac{11+14}{2} = 12.5$. Lower half 2, 5, 8, 11 gives $Q_1 = 6.5$; upper half 14, 17, 20, 23 gives $Q_3 = 18.5$. IQR = 12.</p> <p>12. Median = 9. Lower half 9, 9 gives $Q_1 = 9$; upper half 9, 15 gives</p> | <p>$Q_3 = 12$. IQR = $12 - 9 = 3$.</p> <p>13. Median = $\frac{30+40}{2} = 35$. Lower half 10, 20, 30 gives $Q_1 = 20$; upper half 40, 50, 60 gives $Q_3 = 50$. IQR = 30.</p> <p>14. Median = $\frac{10+10}{2} = 10$. Lower half 5, 5, 10 gives $Q_1 = 5$; upper half 10, 15, 15 gives $Q_3 = 15$. IQR = 10.</p> <p>15. Median = 6. Lower half 2, 4, 4 gives $Q_1 = 4$; upper half 8, 10, 12 gives $Q_3 = 10$. IQR = 6.</p> <p>16. Median = 10. Lower half 7, 8, 9 gives $Q_1 = 8$; upper half 11, 12, 13 gives $Q_3 = 12$. IQR = 4.</p> <p>17. Range = max - min = $19 - 5 = 14$.</p> <p>18. IQR = $Q_3 - Q_1 = 22 - 14 = 8$.</p> <p>19. Since IQR = $Q_3 - Q_1$, we get $Q_3 = Q_1 + \text{IQR} = 30 + 25 = 55$.</p> <p>20. All values are equal, so $Q_1 = Q_3 = 6$ and IQR = 0 — no spread at all.</p> <p>21. Median = 80. Lower half 60, 70 gives $Q_1 = 65$; upper half 90, 100 gives $Q_3 = 95$. So IQR = $95 - 65 = 30$.</p> <p>22. Median = 70. Lower half 58, 62, 66 gives $Q_1 = 62$; upper half 74, 78, 82 gives $Q_3 = 78$. IQR = $78 - 62 = 16$ — the middle half of days spans 16 degrees.</p> <p>23. Store A: median 6, $Q_1 = 3$, $Q_3 = 9$, so IQR = 6. Store B: median 6, $Q_1 = 4.5$, $Q_3 = 7.5$, so IQR = 3. Store A's middle half is more spread out.</p> <p>24. Median = $\frac{13+15}{2} = 14$. Lower half 9, 11, 13 gives $Q_1 = 11$; upper half 15, 17, 19 gives $Q_3 = 17$. IQR = $17 - 11 = 6$.</p> |
|--|--|



Want Even More Practice? Check Out Our Other Hawaii SBAC Test Books!



Hawaii SBAC Grade 8 Math Preparation Bundle

18 full-length practice tests across three books
(5 + 6 + 7)

No repeated questions—maximum practice value!



18 Tests!
3 Books
One Bundle

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for SBAC test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Grade 8
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!