

Comparing Two Functions

Name: _____

Date: _____

Score: _____ / 24

Q Quick Review

To compare two linear functions, find each one's **slope** (rate of change) and **y-intercept** (the output when $x = 0$). From $y = mx + b$, the slope is m and the intercept is b ; from a table or points, slope is $\frac{\text{change in } y}{\text{change in } x}$. The function with the bigger slope grows faster.

◇ **Example:** Function A is $y = 3x + 2$. Function B passes through $(0, 5)$ and $(2, 9)$. Which has the greater rate of change?
 ⇒ Function A is in $y = mx + b$ form, so its rate of change is the slope $m = 3$. For Function B, use the two points: y goes from 5 to 9 (change of 4) while x goes from 0 to 2 (change of 2), so B's slope is $\frac{4}{2} = 2$. Since $3 > 2$, Function A has the greater rate of change.

Answer: A (slope $3 > 2$)

PRACTICE

Compare the two linear functions as directed.

- A: $y = 4x + 1$. B: $y = 2x + 1$. Which has the greater slope? _____
- A: $y = x + 9$. B: $y = 6x + 9$. Which has the greater slope? _____
- A: $y = 5x$. B: $y = 5x + 3$. Which has the greater y-intercept? _____
- A: $y = 2x + 7$. B: $y = 2x - 1$. Which has the greater y-intercept? _____
- A: $y = 3x + 4$. B passes $(0, 4), (1, 7)$. Greater slope? _____
- A: $y = 6x - 2$. B passes $(0, 1), (2, 5)$. Greater slope? _____
- A passes $(0, 2), (3, 11)$. B: $y = 2x + 2$. Greater slope? _____
- A passes $(0, 0), (4, 8)$. B passes $(0, 0), (2, 10)$. Greater slope? _____
- A: $y = 7x + 5$. B: $y = 7x + 5$. Are they the same function? _____
- A: $y = x + 10$. B passes $(0, 10), (5, 15)$. Same function? _____
- A: $y = -2x + 8$. B: $y = 3x + 8$. Greater slope? _____
- A: $y = -x + 1$. B: $y = -4x + 1$. Greater slope? _____
- A passes $(0, 6), (2, 2)$. B: $y = -3x + 6$. Greater slope? _____
- A: $y = 4x + 3$. B passes $(0, 1), (3, 13)$. Greater y-intercept? _____
- A: $y = 2x + 12$. B: $y = 9x + 4$. Greater slope? _____
- A passes $(0, 3), (1, 8)$. B passes $(0, 3), (1, 5)$. Greater slope? _____
- A: $y = 8x$. B passes $(0, 0), (1, 8)$. Same function? _____
- A: $y = 5x + 2$. B: $y = 5x + 9$. Greater slope? _____
- A passes $(0, 4), (2, 14)$. B: $y = 6x + 4$. Greater slope? _____
- A: $y = 10x - 5$. B passes $(0, -5), (1, 5)$. Same function? _____

◆ Word Problems

- Pool A fills at $y = 8x + 10$ gallons after x minutes. Pool B holds 10 gal at 0 min and 35 gal at 5 min. Which fills faster? _____
- Runner A's distance is $d = 7t$ meters after t seconds. Runner B passes $(0, 0)$ and $(4, 32)$. Who runs faster? _____
- Plan A charges $C = 3n + 15$ dollars for n items. Plan B charges \$25 for 0 items and \$40 for 5 items. Which has the higher starting fee? _____
- Account A grows by $y = 6x + 50$ dollars after x weeks. Account B grows from \$50 to \$74 over 4 weeks. Which grows faster, and by how much more per week? _____



Answer Keys

- | | |
|---|---|
| <p>1. <input type="radio"/> A</p> <p>2. <input type="radio"/> B</p> <p>3. <input type="radio"/> B</p> <p>4. <input type="radio"/> A</p> <p>5. <input type="text" value="equal"/></p> <p>6. <input type="radio"/> A</p> <p>7. <input type="radio"/> A</p> <p>8. <input type="radio"/> B</p> <p>9. <input type="text" value="yes"/></p> <p>10. <input type="text" value="yes"/></p> <p>11. <input type="radio"/> B</p> <p>12. <input type="radio"/> A</p> | <p>13. <input type="radio"/> A</p> <p>14. <input type="radio"/> A</p> <p>15. <input type="radio"/> B</p> <p>16. <input type="radio"/> A</p> <p>17. <input type="text" value="yes"/></p> <p>18. <input type="text" value="equal"/></p> <p>19. <input type="radio"/> B</p> <p>20. <input type="text" value="yes"/></p> <p>21. <input type="text" value="Pool A (8 gal/min > 5 gal/min)"/></p> <p>22. <input type="text" value="Runner B (8 m/s > 7 m/s)"/></p> <p>23. <input type="text" value="Plan B (\$25 > \$15)"/></p> <p>24. <input type="text" value="Account A; \$6 - 6 = 0... they grow at the same rate"/></p> |
|---|---|

Step-by-Step Explanations

- | | |
|--|---|
| <p>1. A's slope is 4 and B's slope is 2. Since $4 > 2$, Function A has the greater slope.</p> <p>2. A's slope is 1, B's slope is 6. Since $6 > 1$, Function B has the greater slope.</p> <p>3. A's y-intercept is 0; B's is 3. So B starts higher.</p> <p>4. Both have slope 2, but A's intercept is 7 and B's is -1. A starts higher.</p> <p>5. A's slope is 3. B rises $7 - 4 = 3$ over a run of 1, so B's slope is $\frac{3}{1} = 3$ too — their slopes are equal.</p> <p>6. A's slope is 6. B rises $5 - 1 = 4$ over a run of 2, so B's slope is $\frac{4}{2} = 2$. Since $6 > 2$, A is steeper.</p> <p>7. A rises $11 - 2 = 9$ over a run of 3, so A's slope is $\frac{9}{3} = 3$. B's slope is 2, so A is steeper.</p> <p>8. A's slope is $\frac{8}{4} = 2$; B's slope is $\frac{10}{2} = 5$. Since $5 > 2$, B is steeper.</p> <p>9. Both have slope 7 and intercept 5, so they are the exact same line.</p> <p>10. B has intercept 10 and slope $\frac{15-10}{5} = 1$, matching A's slope 1 and intercept 10.</p> <p>11. A's slope is -2 and B's slope is 3. Since $3 > -2$, B has the greater slope.</p> <p>12. A's slope is -1 and B's slope is -4. Since $-1 > -4$, A has the greater slope.</p> | <p>13. A's slope is $\frac{2-6}{2} = -2$. B's slope is -3. Since $-2 > -3$, A has the greater slope.</p> <p>14. A's intercept is 3; B's intercept (output at $x = 0$) is 1. So A starts higher.</p> <p>15. A's slope is 2 and B's slope is 9. Since $9 > 2$, B has the greater slope.</p> <p>16. A's slope is $\frac{8-3}{1} = 5$; B's slope is $\frac{5-3}{1} = 2$. Since $5 > 2$, A is steeper.</p> <p>17. B has intercept 0 and slope $\frac{8}{1} = 8$, exactly matching $y = 8x$.</p> <p>18. Both functions have slope 5, so neither is steeper — their slopes are equal.</p> <p>19. A's slope is $\frac{14-4}{2} = 5$ and B's slope is 6. Since $6 > 5$, B is steeper.</p> <p>20. B has intercept -5 and slope $\frac{5-(-5)}{1} = 10$, matching $y = 10x - 5$.</p> <p>21. Pool A's rate is the slope 8 gallons per minute. Pool B goes from 10 to 35 gallons in 5 minutes, a rate of $\frac{25}{5} = 5$ gal/min. Since $8 > 5$, Pool A fills faster.</p> <p>22. Runner A's speed is the slope 7 m/s. Runner B covers 32 meters in 4 seconds, a speed of $\frac{32}{4} = 8$ m/s. Since $8 > 7$, Runner B is faster.</p> <p>23. The starting fee is the cost when $n = 0$. Plan A's is \$15. Plan B charges \$25 at 0 items, so Plan B's starting fee of \$25 is higher.</p> <p>24. Account A grows \$6 per week (the slope). Account B grows $\frac{74-50}{4} = \frac{24}{4} = 6$ dollars per week too. The accounts grow at the same rate — \$6 per week.</p> |
|--|---|



Want Even More Practice? Check Out Our Other Michigan M-STEP Test Books!



Michigan M-STEP Grade 8 Math Preparation Bundle

18 full-length practice tests across three books
(5 + 6 + 7)

No repeated questions—maximum practice value!



18 Tests!
3 Books
One Bundle

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for M-STEP test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Grade 8
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!