Rational and Irrational Numbers

Name: _____	Date: _____	Score: _____ / 24

Quick Review

A **rational number** is any number you can write as a fraction $\frac{a}{b}$ of two integers (with $b \neq 0$). When you write a rational number as a decimal, it always either *stops* (like 0.75) or *repeats* a pattern forever (like $0.3333\ldots$). An **irrational number** cannot be written as such a fraction — its decimal goes on forever with *no repeating pattern*. Famous examples are π and most square roots, such as $\sqrt{2}$ and $\sqrt{10}$. A quick test: $\sqrt{n}$ is rational only when n is a **perfect square** (like $\sqrt{49} = 7$); otherwise it is irrational.

◇ **Example:** Tell whether $\sqrt{45}$ is rational or irrational.

⇒ Start by asking the key question: is 45 a perfect square? The perfect squares near it are $36 = 6^2$ and $49 = 7^2$, and 45 is stuck *between* them — it is not a perfect square. That means $\sqrt{45}$ is not a whole number, and in fact its decimal $6.7082\ldots$ never stops and never repeats. So $\sqrt{45}$ cannot be written as a fraction of integers — it is **irrational**.

Answer: $\sqrt{45}$ is irrational

PRACTICE

Classify each number as rational or irrational.

1. $\frac{3}{5}$ _____
2. $\sqrt{49}$ _____
3. $\sqrt{7}$ _____
4. 0.25 _____
5. π _____
6. -8 _____
7. $0.\overline{6}$ _____
8. $\sqrt{16}$ _____
9. $\sqrt{20}$ _____
10. $\frac{0}{9}$ _____
11. $2.\overline{18}$ _____
12. $\sqrt{100}$ _____
13. $-\sqrt{2}$ _____
14. 3.5 _____
15. $\sqrt{64}$ _____
16. $\sqrt{2}+1$ _____
17. $\frac{22}{7}$ _____
18. $0.1010010001\ldots$ _____
19. $\sqrt{81}$ _____
20. $\sqrt{50}$ _____

Word Problems

21. A square garden has an area of 36 square feet. Is the side length a rational or an irrational number? Explain. _____
22. A different square tile has an area of 30 square inches. Is its side length rational or irrational? _____
23. Maria says every number that has a decimal point is irrational. Give one example that shows she is wrong. _____
24. A circle has a radius of 4 cm. Its circumference is $2\pi r = 8\pi$ cm. Is the exact circumference rational or irrational? _____

Answer Keys

1. rational
2. rational
3. irrational
4. rational
5. irrational
6. rational
7. rational
8. rational
9. irrational
10. rational
11. rational
12. rational
13. irrational
14. rational
15. rational
16. irrational
17. rational
18. irrational
19. rational
20. irrational
21. rational; side $= 6$ ft
22. irrational; side $= \sqrt{30}$ in
23. $0.5 = \frac{1}{2}$ (rational)
24. irrational

Step-by-Step Explanations

1. It is already a fraction of two integers, so it is rational by definition.
2. $49 = 7^2$ is a perfect square, so $\sqrt{49} = 7$, a whole number — rational.
3. 7 is between the perfect squares 4 and 9, so $\sqrt{7}$ is not a whole number and does not repeat — irrational.
4. This decimal stops, and $0.25 = \frac{1}{4}$, so it is rational.
5. $\pi = 3.14159\ldots$ goes on forever with no repeating pattern, so it is irrational.
6. Every integer is rational: $-8 = \frac{-8}{1}$.
7. A repeating decimal is rational; in fact $0.\overline{6} = \frac{2}{3}$.
8. $16 = 4^2$ is a perfect square, so $\sqrt{16} = 4$ — rational.
9. 20 sits between 16 and 25, so it is not a perfect square and $\sqrt{20}$ is irrational.
10. $\frac{0}{9} = 0$, and 0 is an integer, so it is rational.
11. The block 18 repeats forever, and any repeating decimal can be written as a fraction — rational.
12. $100 = 10^2$, so $\sqrt{100} = 10$, a whole number — rational.
13. $\sqrt{2}$ is irrational, and negating an irrational number keeps it irrational.
14. This decimal stops: $3.5 = \frac{7}{2}$, so it is rational.
15. $64 = 8^2$, so $\sqrt{64} = 8$ — a perfect square root is rational.
16. Adding the rational number 1 to the irrational $\sqrt{2}$ still gives an irrational number.
17. It is a ratio of two integers — rational. (It is a famous *approximation* of π, but not equal to π.)
18. The decimal grows forever but the digits never settle into a repeating block, so it is irrational.
19. $81 = 9^2$, so $\sqrt{81} = 9$ — rational.
20. 50 lies between 49 and 64, so it is not a perfect square and $\sqrt{50}$ is irrational.
21. The side length is $\sqrt{36}$, and $36 = 6^2$ is a perfect square, so $\sqrt{36} = 6$ ft — a whole number, which is rational.
22. The side is $\sqrt{30}$. Since 30 is between the perfect squares 25 and 36, it is not a perfect square, so $\sqrt{30}$ is irrational.
23. A decimal that stops or repeats is rational. For example 0.5 has a decimal point but equals $\frac{1}{2}$, so Maria's rule is false.
24. The circumference is 8π. Since π is irrational, multiplying it by the nonzero rational number 8 keeps the result irrational.

Want Even More Practice? Check Out Our Other New Mexico NM-MSSA Test Books!

New Mexico NM-MSSA Grade 8 Math Preparation Bundle

18 full-length practice tests across three books (5 + 6 + 7)

No repeated questions—maximum practice value!

18 Tests!
3 Books
One Bundle

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for NM-MSSA test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Grade 8
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!