

Two-Way Tables

Name: _____ Date: _____ Score: _____ / 24

Q Quick Review

A **two-way table** organizes data sorted by *two* categories at once — one across the rows, one down the columns. Each inside cell is a **joint frequency** (a count for one row-and-column combination). The row and column totals are **marginal frequencies**, and they all add up to the grand total. To find a probability, divide the count you want by the appropriate total: divide by the *grand total* for an overall chance, or by a *row or column total* for a *conditional* chance (“given that. . .”). Reading these tables carefully helps you spot associations between the two categories.

◇ **Example:** In a survey of 50 students about liking sports and liking music: 20 like both, 10 like sports but not music, 15 like music but not sports, and 5 like neither. Find the probability a random student likes sports, and the probability a student likes sports *given* they like music.

⇒ Let’s total things up first. Students who like sports = $20 + 10 = 30$, so out of 50 the chance is $\frac{30}{50} = \frac{3}{5}$. Now for the conditional part, we only look at music-likers: that group is $20 + 15 = 35$ students. Of those, 20 also like sports, so the probability of liking sports *given* liking music is $\frac{20}{35} = \frac{4}{7}$. Notice we changed the denominator to match the “given” group — that is the key move with conditional probability!

Answer: $P(\text{sports}) = \frac{3}{5}$, $P(\text{sports} | \text{music}) = \frac{4}{7}$

PRACTICE

Use the described two-way table to answer each question.

- | | |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1. Table A: cats 12, dogs 18. Total pets? _____ | 12. Table C: $P(\text{boy} \text{taco})?$ _____ |
| 2. Table A (total 30): $P(\text{cat})?$ _____ | 13. Table D: pass-studied 24, pass-not 4, fail-studied 2, fail-not 10. Total? _____ |
| 3. Table A (total 30): $P(\text{dog})?$ _____ | 14. Table D: how many studied? _____ |
| 4. Table B: walk 8, bus 12, bike 5, car 25. Total? _____ | 15. Table D: how many passed? _____ |
| 5. Table B (total 50): $P(\text{bus})?$ _____ | 16. Table D (total 40): $P(\text{pass})?$ _____ |
| 6. Table B (total 50): $P(\text{car})?$ _____ | 17. Table D: $P(\text{pass} \text{studied})?$ _____ |
| 7. Table C: boys-pizza 9, boys-taco 6, girls-pizza 10, girls-taco 5. Total? _____ | 18. Table D: $P(\text{fail} \text{not studied})?$ _____ |
| 8. Table C: how many boys total? _____ | 19. Table E: yes-A 7, yes-B 3, no-A 5, no-B 5. $P(\text{yes})?$ _____ |
| 9. Table C: how many chose pizza? _____ | 20. Table E: $P(A \text{yes})?$ _____ |
| 10. Table C (total 30): $P(\text{pizza})?$ _____ | |
| 11. Table C: $P(\text{pizza} \text{boy})?$ _____ | |

◆ Word Problems

21. A class of 40 is surveyed: 18 have a pet and play sports, 7 have a pet but no sports, 9 play sports but have no pet, and 6 have neither. What is the probability a random student has a pet? _____
22. At a movie theater, 60 people are surveyed: 22 bought popcorn and soda, 14 bought popcorn only, 16 bought soda only, 8 bought neither. Given a person bought soda, what is the probability they also bought popcorn? _____
23. A survey of 80 commuters records: 30 drive and arrive on time, 10 drive and are late, 28 take transit and are on time, 12 take transit and are late. Is being on time associated with how you commute? _____
24. In a poll of 100 people: 35 are teens who like the app, 5 are teens who dislike it, 20 are adults who like it, 40 are adults who dislike it. What fraction of teens like the app? _____



Answer Keys

1. $\boxed{30}$

2. $\boxed{\frac{2}{5}}$

3. $\boxed{\frac{3}{5}}$

4. $\boxed{50}$

5. $\boxed{\frac{6}{25}}$

6. $\boxed{\frac{1}{2}}$

7. $\boxed{30}$

8. $\boxed{15}$

9. $\boxed{19}$

10. $\boxed{\frac{19}{30}}$

11. $\boxed{\frac{3}{5}}$

12. $\boxed{\frac{6}{11}}$

13. $\boxed{40}$

14. $\boxed{26}$

15. $\boxed{28}$

16. $\boxed{\frac{7}{10}}$

17. $\boxed{\frac{12}{13}}$

18. $\boxed{\frac{5}{7}}$

19. $\boxed{\frac{1}{2}}$

20. $\boxed{\frac{7}{10}}$

21. $P(\text{pet}) = \frac{25}{40} = \frac{5}{8}$

22. $P(\text{popcorn} | \text{soda}) = \frac{22}{38} = \frac{11}{19}$

23. drive on-time rate $\frac{3}{4}$ vs transit $\frac{7}{10}$ — a small association

24. $\frac{35}{40} = \frac{7}{8}$ of teens

Step-by-Step Explanations

1. Add the two cells: $12 + 18 = 30$ pets in all.2. There are 12 cats out of 30 pets: $\frac{12}{30} = \frac{2}{5}$.3. There are 18 dogs out of 30: $\frac{18}{30} = \frac{3}{5}$.4. Add all four counts: $8 + 12 + 5 + 25 = 50$ students.5. 12 ride the bus out of 50: $\frac{12}{50} = \frac{6}{25}$.6. 25 ride in a car out of 50: $\frac{25}{50} = \frac{1}{2}$.7. Add all four joint counts: $9 + 6 + 10 + 5 = 30$ students.8. Boys = boys-pizza + boys-taco = $9 + 6 = 15$.9. Pizza = boys-pizza + girls-pizza = $9 + 10 = 19$.10. 19 of 30 students chose pizza, so $P = \frac{19}{30}$.11. Among the 15 boys, 9 chose pizza: $\frac{9}{15} = \frac{3}{5}$.12. Tacos were chosen by $6 + 5 = 11$ students; 6 are boys, so $\frac{6}{11}$.13. Add all four counts: $24 + 4 + 2 + 10 = 40$ students.14. Studied = $24 + 2 = 26$ students (pass and fail combined).15. Passed = $24 + 4 = 28$ students.16. 28 of 40 passed: $\frac{28}{40} = \frac{7}{10}$.17. Of the 26 who studied, 24 passed: $\frac{24}{26} = \frac{12}{13}$.18. Of the $4 + 10 = 14$ who did not study, 10 failed: $\frac{10}{14} = \frac{5}{7}$.19. "Yes" total = $7 + 3 = 10$ out of 20: $\frac{10}{20} = \frac{1}{2}$.20. Among the 10 "yes" responses, 7 are A: $\frac{7}{10}$.21. Students with a pet = $18 + 7 = 25$. Out of the 40 total, the probability is $\frac{25}{40} = \frac{5}{8}$.22. Soda buyers = $22 + 16 = 38$. Of those, 22 also bought popcorn, so the conditional probability is $\frac{22}{38} = \frac{11}{19}$.23. Among 40 drivers, 30 are on time: $\frac{30}{40} = \frac{3}{4}$. Among 40 transit riders, 28 are on time: $\frac{28}{40} = \frac{7}{10}$. The rates differ a little, so there is a small association.24. Teens total = $35 + 5 = 40$. Of those, 35 like the app, so the fraction is $\frac{35}{40} = \frac{7}{8}$ — much higher than adults.

Want Even More Practice? Check Out Our Other South Dakota SBAC Test Books!

South Dakota SBAC Grade 8 Math Preparation Bundle

18 full-length practice tests across three books
(5 + 6 + 7)

No repeated questions—maximum practice value!

[Bundle Cover]



18 Tests!
3 Books
One Bundle

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for SBAC test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Grade 8
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!