

Solving One-Step Equations

Name: _____

Date: _____

Score: _____ / 24

Q Quick Review

To solve a one-step equation, do the **opposite** of whatever's happening to the variable, and do it to *both sides*. If something's being added, subtract it. If it's being subtracted, add. If it's being multiplied, divide. If it's being divided, multiply. That's the whole game. The technical name is the **Properties of Equality** — as long as you do the same thing to both sides of the equals sign, the equation stays balanced. After you find your answer, **check it**: substitute the value back into the original equation. If both sides come out the same, you nailed it.

PRACTICE

Solve each equation.

1. $x + 5 = 12$ _____

2. $n - 3 = 10$ _____

3. $y + 9 = -2$ _____

4. $a - 7 = -1$ _____

5. $3x = 21$ _____

6. $-5m = 35$ _____

7. $\frac{x}{4} = 6$ _____

8. $\frac{n}{-3} = 9$ _____

9. $8p = -56$ _____

10. $x + 2.5 = 7$ _____

11. $\frac{y}{5} = -4$ _____

12. $w - 1.8 = 3.2$ _____

13. $-12 + x = 4$ _____

14. $-y = 15$ _____

15. $\frac{3}{4}x = 12$ _____

16. $x - \frac{1}{2} = \frac{3}{4}$ _____

17. $-7 = k + 3$ _____

18. $\frac{n}{2} = -9$ _____

19. $6 = \frac{x}{-4}$ _____

20. $0.2x = 3$ _____

◆ Word Problems

21. Liam had some money in his wallet. After spending \$12 on lunch, he has \$23 left. Write and solve an equation to find how much he started with.

22. A recipe needs 5 equal cups of flour, totaling 20 ounces. How many ounces are in each cup?

23. A pizza costs the same as 4 ice cream cones. If a pizza costs \$18, how much does each ice cream cone cost?

24. Sara's age plus 14 equals her uncle's age. If her uncle is 43, how old is Sara?



Scan Me

Answer Keys

- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. $x = 7$</p> <p>2. $n = 13$</p> <p>3. $y = -11$</p> <p>4. $a = 6$</p> <p>5. $x = 7$</p> <p>6. $m = -7$</p> <p>7. $x = 24$</p> <p>8. $n = -27$</p> <p>9. $p = -7$</p> <p>10. $x = 4.5$</p> <p>11. $y = -20$</p> <p>12. $w = 5$</p> | <p>13. $x = 16$</p> <p>14. $y = -15$</p> <p>15. $x = 16$</p> <p>16. $x = \frac{5}{4}$</p> <p>17. $k = -10$</p> <p>18. $n = -18$</p> <p>19. $x = -24$</p> <p>20. $x = 15$</p> <p>21. $x = \\$35$</p> <p>22. $c = 4 \text{ OZ}$</p> <p>23. $c = \\$4.50$</p> <p>24. $s = 29$</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Step-by-Step Tutor Notes

1. Move carefully through the arithmetic; one clean operation usually unlocks the next one. 5 is added to x . Subtract 5 from both sides: $x = 12 - 5 = 7$. After simplifying, the answer is $x = 7$.
2. Keep the order of operations in view, then simplify without skipping the sign check. 3 is subtracted, so add 3 to both sides: $n = 10 + 3 = 13$. After simplifying, the answer is $n = 13$.
3. Subtract 9 from both sides: $y = -2 - 9 = -11$. (Subtracting a positive from a negative pushes you further negative.)
4. Keep the order of operations in view, then simplify without skipping the sign check. Add 7 to both sides: $a = -1 + 7 = 6$. After simplifying, the answer is $a = 6$.
5. Keep the order of operations in view, then simplify without skipping the sign check. x is being multiplied by 3. Divide both sides by 3: $x = 21 \div 3 = 7$. After simplifying, the answer is $x = 7$.
6. Divide both sides by -5 : $m = 35 \div (-5) = -7$. Dividing a positive by a negative gives a negative.
7. x is being divided by 4. Do the opposite — multiply both sides by 4: $x = 6 \cdot 4 = 24$.
8. Move carefully through the arithmetic; one clean operation usually unlocks the next one. Multiply both sides by -3 : $n = 9 \cdot (-3) = -27$. After simplifying, the answer is $n = -27$.
9. Work one inverse operation at a time and keep both sides balanced. Divide both sides by 8: $p = -56 \div 8 = -7$. After simplifying, the answer is $p = -7$.
10. Subtract 2.5 from both sides: $x = 7 - 2.5 = 4.5$. Decimals follow the same rules as whole numbers.
11. Keep the order of operations in view, then simplify without skipping the sign check. Multiply both sides by 5: $y = -4 \cdot 5 = -20$. After simplifying, the answer is $y = -20$.
12. Add 1.8 to both sides: $w = 3.2 + 1.8 = 5$. Notice the decimal answer came out clean — that's a good sanity-check signal.
13. -12 is added (or 12 subtracted, same thing). Add 12 to both sides: $x = 4 + 12 = 16$.
14. Move carefully through the arithmetic; one clean operation usually unlocks the next one. $-y$ means $-1 \cdot y$. Divide both sides by -1 (or just flip signs): $y = -15$. After simplifying, the answer is $y = -15$.
15. Multiply both sides by the reciprocal $\frac{4}{3}$: $x = 12 \cdot \frac{4}{3} = 16$. (Multiplying by a reciprocal is the slick way to undo a fractional coefficient.)
16. Add $\frac{1}{2}$ to both sides. Find a common denominator: $x = \frac{3}{4} + \frac{2}{4} = \frac{5}{4}$.
17. Variable's on the right — doesn't matter, same rule. Subtract 3 from both sides: $-7 - 3 = k$, so $k = -10$.
18. Keep the order of operations in view, then simplify without skipping the sign check. Multiply both sides by 2: $n = -9 \cdot 2 = -18$. After simplifying, the answer is $n = -18$.
19. Keep the order of operations in view, then simplify without skipping the sign check. Multiply both sides by -4 : $x = 6 \cdot (-4) = -24$. After simplifying, the answer is $x = -24$.
20. Divide both sides by 0.2: $x = 3 \div 0.2 = 15$. (Dividing by 0.2 is the same as multiplying by 5, which is sometimes easier mental math.)
21. Let x be what he started with. "After spending \$12" means we subtract: $x - 12 = 23$. Add 12 to both sides: $x = 23 + 12 = 35$. Liam started with \$35.
22. Let c be ounces per cup. Five cups times c ounces each gives the total: $5c = 20$. Divide both sides by 5: $c = 4$ ounces per cup.
23. Let c be the cost of one cone. Four cones equal one pizza: $4c = 18$. Divide both sides by 4: $c = 4.50$ dollars.
24. Let s be Sara's age. The equation is $s + 14 = 43$. Subtract 14 from both sides: $s = 43 - 14 = 29$. Sara is 29 years old.



Scan Me

Want a Full Algebra 1 Textbook? Try Our Iowa ISASP Made Simple Book!



Iowa ISASP Algebra I Made Ridiculously Simple

The friendly, step-by-step Algebra 1 textbook
Plain-English explanations, guided practice, and
review support.



Scan Me

Full Lessons Inside

Concepts
Practice
Mastery

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for ISASP test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Algebra 1
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!

□ STUDENT FAVORITE • Master Algebra I From the Ground Up □



- ✓ 100% Guaranteed
- ✓ Lifetime Support
- ✓ Trusted by Teachers

Start Your Algebra Journey Today! →

Algebra I for Beginners

Written by a top math teacher & aligned with national and state Algebra I courses. From linear equations to graphing quadratics — explained the easy way.

- ✓ **Complete coverage** of every Algebra I concept — perfect companion to these worksheets
- ✓ **Step-by-step explanations** with worked examples on every topic
- ✓ **QR codes in every chapter** for free video lessons & bonus practice
- ✓ **2 full-length practice tests** with detailed answer keys

★ **STUDENT'S #1 CHOICE** ★

Teacher-recommended • 12,000+ Happy Students

↓ PDF EDITION



Scan Me

Instant download • any device

□ PAPERBACK



Scan Me

Paperback on Amazon

Hold it in your hands

Pair these free worksheets with *Algebra I for Beginners* and you have a complete self-paced course — concept lessons, daily practice, and full exam-style reviews, all in one path. →

EffortlessMath.com/product/algebra-i-for-beginners