

Variables Expressions and Properties

Name: _____ Date: _____ Score: _____ / 24

Q Quick Review

A **variable** is just a letter standing in for a number we don't know yet — something like x or n . The number multiplied by that variable is its **coefficient**, so in $7x$ the coefficient is 7. A plain number with no variable attached is a **constant**; in $7x + 5$, the constant is 5. Each piece separated by a $+$ or $-$ sign is its own **term**. The **properties of real numbers** are the rewriting rules that never change a value: the **Commutative** property lets you swap order ($a + b = b + a$ and $ab = ba$); the **Associative** property lets you regroup ($(a + b) + c = a + (b + c)$); the **Distributive** property multiplies across a sum ($a(b + c) = ab + ac$); the **Identity** properties leave a number alone ($a + 0 = a$, $a \cdot 1 = a$); and the **Inverse** properties undo a number back to its identity ($a + (-a) = 0$ and $a \cdot \frac{1}{a} = 1$).

PRACTICE

Simplify each expression, or name the property shown.

- | | | | |
|------------------------------------------------|-------|---------------------------------|-------|
| 1. $3(x + 4)$ | _____ | 11. $4(x + 1) + 3(x - 2)$ | _____ |
| 2. $2(5a - 1)$ | _____ | 12. $7 \cdot \frac{1}{7}$ | _____ |
| 3. $7 + x = x + 7$ | _____ | 13. $5(x - 2) + 10$ | _____ |
| 4. $4 \cdot (3 \cdot y) = (4 \cdot 3) \cdot y$ | _____ | 14. $-(3x - 7)$ | _____ |
| 5. $6(2n + 3)$ | _____ | 15. $(a + b) + c = a + (b + c)$ | _____ |
| 6. $-3(4 - 2x)$ | _____ | 16. $x \cdot 1 + 0$ | _____ |
| 7. $5m + 0$ | _____ | 17. $2(x + y) + 3(x + y)$ | _____ |
| 8. $8 + (x + 2) = (8 + x) + 2$ | _____ | 18. $4 \cdot 0 \cdot x$ | _____ |
| 9. $9(a - 5) + 2$ | _____ | 19. $6 + (-6) + x$ | _____ |
| 10. $-2(3x + 4) - x$ | _____ | 20. $\frac{1}{2}(8x + 12)$ | _____ |

◆ Word Problems

21. A movie ticket costs $\$d$ and a bag of popcorn costs $\$3$ less than the ticket. Write an expression for the total cost of 2 tickets and 2 bags of popcorn, then simplify using the distributive property.

22. Jasmine says $3(x + 5)$ and $3x + 5$ are equivalent because she “moved the parentheses.” Are the expressions equivalent? Simplify $3(x + 5)$ and decide.

23. A school store sells p pencils at $\$0.50$ each and n notebooks at $\$2.00$ each. Write an expression for the total cost, then find the cost of 6 pencils and 4 notebooks.

24. Show that $2(3 + 4)$ and $2 \cdot 3 + 2 \cdot 4$ give the same value. What property does this demonstrate?



Answer Keys

- | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. $3x + 12$</p> <p>2. $10a - 2$</p> <p>3. Commutative (+)</p> <p>4. Associative (\times)</p> <p>5. $12n + 18$</p> <p>6. $-12 + 6x$</p> <p>7. $5m$</p> <p>8. Associative (+)</p> <p>9. $9a - 43$</p> <p>10. $-7x - 8$</p> <p>11. $7x - 2$</p> <p>12. 1</p> | <p>13. $5x$</p> <p>14. $-3x + 7$</p> <p>15. Associative (+)</p> <p>16. x</p> <p>17. $5x + 5y$</p> <p>18. 0</p> <p>19. x</p> <p>20. $4x + 6$</p> <p>21. $\\$(4d - 6)$</p> <p>22. No; $3(x + 5) = 3x + 15$</p> <p>23. $0.50p + 2n$; \$11.00</p> <p>24. Both equal 14; Distributive</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Step-by-Step Tutor Notes

1. The 3 outside the parentheses wants to multiply *everything* inside, not just the first thing. So hand a 3 to the x and a 3 to the 4: $3x$ and 12. Same + sign in the middle, so you get $3x + 12$.
2. Distribute the 2 to both pieces inside. 2 times $5a$ is $10a$, and 2 times -1 is -2 . Put them together: $10a - 2$.
3. The same two things got added, just in opposite order. That's the Commutative Property of Addition — $a + b = b + a$. (Easy check: if you can swap them like socks, it's commutative.)
4. The three numbers stayed in the same order; only the *parentheses* moved. That's the Associative Property of Multiplication — regrouping a product never changes it.
5. Hand the 6 to each piece inside the parentheses. $6 \cdot 2n = 12n$, and $6 \cdot 3 = 18$. So $12n + 18$.
6. This one's a sign-watching exercise. -3 times 4 is -12 . Then -3 times $-2x$: two negatives make a positive, so $+6x$. Final: $-12 + 6x$.
7. Adding zero is like adding nothing — $5m$ stays $5m$. That's the Identity Property of Addition: zero is the do-nothing number for +.
8. Same three things, just regrouped — the Associative Property of Addition. The order didn't change; only which two got grouped first did.
9. Distribute first: $9 \cdot a = 9a$ and $9 \cdot (-5) = -45$, giving $9a - 45$. Then the $+2$ at the end combines with the -45 : $-45 + 2 = -43$. Final: $9a - 43$.
10. Distribute the -2 : $-6x - 8$. Now bring in the $-x$ at the end. The x -terms combine: $-6x$ and $-x$ are like terms, so $-6x + (-x) = -7x$. The -8 has no partner. Final: $-7x - 8$.
11. Distribute each parenthesis separately: $4(x + 1) = 4x + 4$ and $3(x - 2) = 3x - 6$. Now combine like terms: $4x + 3x = 7x$ for the variable parts, and $4 - 6 = -2$ for the constants. Together: $7x - 2$.
12. Any nonzero number times its own reciprocal lands you at 1. That's the Inverse Property of Multiplication — the reciprocal is what undoes the original number.
13. Distribute: $5x - 10$. Then the loose $+10$ at the end cancels out the -10 . What's left? Just $5x$. (When you see constants that cancel, double-check — it usually means the problem was designed to give a clean answer.)
14. A minus sign by itself in front of parentheses works like multiplying by -1 . Hand a -1 to each piece: $-1 \cdot 3x = -3x$ and $-1 \cdot (-7) = +7$. The two flips on the -7 turn it back to $+7$. Final: $-3x + 7$.
15. Same letters, same order, different parentheses — that's the Associative Property of Addition. It says you can regroup an addition any way you like.
16. Two identity properties stacked on one expression. Multiplying by 1 leaves x alone, and adding 0 leaves it alone again. Just x .
17. Here's a neat shortcut. Treat $(x + y)$ as one chunk. You have 2 of that chunk and 3 of that chunk, so $2 + 3 = 5$ chunks. Then distribute: $5(x + y) = 5x + 5y$. Saves you from distributing twice.
18. Anything multiplied by zero is zero — it doesn't matter how many other factors there are. The whole product is just 0.
19. 6 and -6 are additive inverses, so they cancel to 0. Then $0 + x = x$ (the Identity Property of Addition). Clean answer: just x .
20. Distribute the $\frac{1}{2}$ to both terms. Half of $8x$ is $4x$, and half of 12 is 6. So $4x + 6$. (When the coefficient is a friendly fraction, expect friendly results inside.)
21. Each popcorn costs \$3 less than a ticket, so a popcorn costs $d - 3$ dollars. Two tickets is $2d$, and two popcorns is $2(d - 3)$. Add them up: $2d + 2(d - 3)$. Distribute the second 2: $2d + 2d - 6$. Combine the d -terms: $4d - 6$ dollars.
22. Jasmine made the most common distributive-property mistake: she only multiplied the 3 by the x and forgot to multiply by the 5. The actual distribution is $3 \cdot x + 3 \cdot 5 = 3x + 15$. Since $3x + 15 \neq 3x + 5$, the two expressions are not the same. The 3 has to reach every piece inside the parentheses — no exceptions.
23. Cost per pencil times number of pencils gives $0.50p$; same idea for notebooks gives $2n$. Add them for the total: $0.50p + 2n$. Now substitute $p = 6$ and $n = 4$: $0.50(6) + 2(4) = 3 + 8 = 11$. So \$11.00. The expression is reusable for any combination — that's the power of using variables.
24. Compute both sides. Left side: $2(3 + 4) = 2(7) = 14$. Right side: $2 \cdot 3 + 2 \cdot 4 = 6 + 8 = 14$. Same answer both ways. That's the Distributive Property in action: $a(b + c) = ab + ac$. You can either add first then multiply, or multiply each piece and then add. Same result every time.



Scan Me

Want a Full Algebra 1 Textbook? Try Our Montana MAST Made Simple Book!



Montana MAST Algebra I Made Ridiculously Simple

The friendly, step-by-step Algebra 1 textbook
Plain-English explanations, guided practice, and review support.



Scan Me

Full Lessons Inside

Concepts
Practice
Mastery

Important: All our test books contain **unique, completely different tests** from each other! Each book offers fresh practice questions—no repeats!

5 Practice Tests

- ✓ 5 complete practice tests with detailed explanations
- ✓ Perfect foundation for MAST test preparation
- ✓ Builds confidence and test-taking skills
- ✓ High-quality questions aligned with state standards

Start your practice journey!

6 Practice Tests

- ✓ 6 complete practice tests with detailed explanations
- ✓ **Unique tests**—different from the 5 tests book
- ✓ Perfect for more practice after mastering 5 tests
- ✓ Builds even more confidence and test-taking skills
- ✓ Same high-quality questions aligned with standards

Take your practice to the next level!

7 Practice Tests

- ✓ 7 complete practice tests for maximum preparation
- ✓ **Unique tests**—different from 5 and 6 tests books
- ✓ The most comprehensive practice for Algebra 1
- ✓ Ideal for students aiming for top scores
- ✓ Extensive practice builds mastery and confidence

Go all the way with comprehensive practice!

STUDENT FAVORITE • Master Algebra I From the Ground Up



Algebra I for Beginners

Written by a top math teacher & aligned with national and state Algebra I courses. From linear equations to graphing quadratics — explained the easy way.

- ✓ **Complete coverage** of every Algebra I concept — perfect companion to these worksheets
- ✓ **Step-by-step explanations** with worked examples on every topic
- ✓ **QR codes in every chapter** for free video lessons & bonus practice
- ✓ **2 full-length practice tests** with detailed answer keys

- ✓ 100% Guaranteed
- ✓ Lifetime Support
- ✓ Trusted by Teachers

Start Your Algebra Journey Today! →

★ STUDENT'S #1 CHOICE ★

Teacher-recommended • 12,000+ Happy Students

PDF EDITION



Scan Me

Instant download • any device

PAPERBACK



Scan Me

Paperback on Amazon

Hold it in your hands

Pair these free worksheets with *Algebra I for Beginners* and you have a complete self-paced course — concept lessons, daily practice, and full exam-style reviews, all in one path. →

EffortlessMath.com/product/algebra-i-for-beginners