

Parent Functions

Name: _____

Date: _____

Score: _____ / 33

Q Quick Review

A **parent function** is the simplest member of a family — no shifts, stretches, or reflections applied. Every other member of the family is a transformation of the parent. Learning the parents by shape lets you recognize transformed graphs at a glance.

The core parents. Linear: $f(x) = x$ (straight line through the origin, slope 1). Quadratic: $f(x) = x^2$ (upward parabola, vertex at origin, y -axis symmetric). Cubic: $f(x) = x^3$ (S-curve, origin-symmetric). Square root: $f(x) = \sqrt{x}$ (half-parabola, starts at origin, domain $x \geq 0$). Cube root: $f(x) = \sqrt[3]{x}$ (S-curve, defined for all reals). Absolute value: $f(x) = |x|$ (V-shape, vertex at origin). Reciprocal: $f(x) = \frac{1}{x}$ (hyperbola; asymptotes $x = 0$ and $y = 0$).


Symmetry. x^2 , $|x|$, and any even-power function are even (symmetric about the y -axis). x^3 , $\sqrt[3]{x}$, and $\frac{1}{x}$ are odd (symmetric about the origin). \sqrt{x} is neither.

Identifying a parent from a transformed expression: strip away shifts ($x + h$ or $x - h$), stretches/reflections (a coefficient on the outside or inside), and vertical shifts. $f(x) = -3\sqrt{x-4} + 2$ keeps the square-root shape — the parent is \sqrt{x} . $g(x) = -2(x+1)^2 - 3$ keeps the parabola shape — parent is x^2 . **Common trap:** thinking $\frac{1}{x+2}$ is built from $x+2$. It's not — the reciprocal structure makes $\frac{1}{x}$ the parent, and $+2$ is a horizontal shift.


PRACTICE

Identify the parent function or use parent-function facts as asked.

1. Parent of $f(x) = x$ _____
2. Parent of $g(x) = -2(x+3)^2 + 5$ _____
3. Parent of $f(x) = \sqrt{x-4} + 2$ _____
4. Parent of $h(x) = 2|x-1| - 3$ _____
5. Domain of parent $f(x) = \sqrt{x}$ _____
6. Range of parent $f(x) = x^2$ _____
7. Parent of $r(x) = \frac{2}{x-5} - 1$ _____
8. The graph of the parent $f(x) = x^3$ is shown. State its symmetry. _____



9. The graph of the parent $f(x) = x^2$ is shown. State its symmetry. _____



10. Asymptotes of parent $f(x) = \frac{1}{x}$ _____


11. Parent of $f(x) = (x - 1)^3$ _____

12. Vertex of $y = |x|$ _____

13. Domain of $f(x) = \frac{1}{x}$ _____

14. Parent of $p(x) = 3\sqrt[3]{x+2}$ _____

15. The graph of the parent $f(x) = |x|$ is shown. State its range. _____



16. $p(x) = -3\sqrt{x-4} + 2$; parent function _____

17. $r(x) = \frac{2}{x-5} - 1$; vertical asymptote _____

18. Parent of $f(x) = -2(x+1)^2 - 3$ _____

19. Domain of parent $f(x) = \sqrt[3]{x}$ _____

20. $|x|$ has a horizontal asymptote at $y = 0$. True or false? _____



◆ Word Problems

21. A bouncing ball's height after t seconds follows $h(t) = -16t^2 + 48t + 5$. Identify the parent function and name two transformations applied to it. _____
22. A flashlight's brightness at distance d feet from the bulb is $B(d) = \frac{120}{d^2}$ (in some unit). Identify the parent shape and explain what the formula says about behavior near $d = 0$ and as d grows. _____
23. A skateboard ramp is modeled by $y = \sqrt{x}$ for $0 \leq x \leq 9$ (in feet). A redesigned ramp is $y = 2\sqrt{x} + 1$ over the same domain. Identify the parent function, state the domain and range of the redesigned ramp, and explain in plain English how it differs from the original. _____
24. A walking-path designer uses $f(x) = |x|$ as the footprint of a sharp turn. To soften the turn, she replaces it with $g(x) = |x - 3| + 2$. State the new vertex, and explain how the path moves. _____

Additional Practice

25. If $f(x) = 2x - 5$, find $f(4)$. _____
26. If $g(x) = x^2 + 1$, find $g(-3)$. _____
27. For $f(x) = 3x + 2$, solve $f(x) = 14$. _____
28. Find $(f + g)(x)$ if $f = x + 1$, $g = 2x - 5$. _____
29. Find $(fg)(x)$ if $f = x - 2$, $g = x + 3$. _____
30. Find $f(g(x))$ if $f(x) = 2x$, $g(x) = x + 7$. _____
31. Find the inverse of $f(x) = x - 9$. _____
32. Find the inverse of $f(x) = 3x + 1$. _____
33. Domain of $f(x) = \sqrt{x - 4}$. _____



Answer Keys

- | | |
|-------------------------|----------------------------------------------------------------|
| 1. $f(x) = x$ | 13. $\{x : x \neq 0\}$ |
| 2. $f(x) = x^2$ | 14. $f(x) = \sqrt[3]{x}$ |
| 3. $f(x) = \sqrt{x}$ | 15. $[0, \infty)$ |
| 4. $f(x) = x $ | 16. $f(x) = \sqrt{x}$ |
| 5. $[0, \infty)$ | 17. $x = 5$ |
| 6. $[0, \infty)$ | 18. $f(x) = x^2$ |
| 7. $f(x) = \frac{1}{x}$ | 19. \mathbb{R} |
| 8. origin (odd) | 20. false |
| 9. y -axis (even) | 21. parent $f(t) = t^2$ |
| 10. $x = 0, y = 0$ | 22. parent $f(d) = \frac{1}{d^2}$ (a reciprocal-square family) |
| 11. $f(x) = x^3$ | 23. parent \sqrt{x} ; domain $[0, 9]$, range $[1, 7]$ |
| 12. $(0, 0)$ | 24. vertex $(3, 2)$ |

Additional Practice Answers

- | | |
|-------------------|---------------------------------|
| 25. 3 | 30. $2x + 14$ |
| 26. 10 | 31. $f^{-1}(x) = x + 9$ |
| 27. $x = 4$ | 32. $f^{-1}(x) = \frac{x-1}{3}$ |
| 28. $3x - 4$ | 33. $x \geq 4$ |
| 29. $x^2 + x - 6$ | |

Additional Practice: Answers for all numbered items, including the added practice, are shown in the grid above.

Step-by-Step Explanations

- A careful way to see it: $f(x) = x$ is itself the simplest linear function — it IS the linear parent. That gives a quick check on the answer.
- Strip the -2 (vertical stretch/reflection), the $(x + 3)$ (horizontal shift), and the $+5$ (vertical shift). What's left is x^2 .
- Inside the radical is just $x - 4$ (a shift), and $+2$ is another shift. The radical structure stays — parent is \sqrt{x} .
- Start with the key idea: The $|x - 1|$ keeps the V-shape. 2 stretches, -3 shifts down. Parent: $|x|$. That gives a quick check on the answer.
- A careful way to see it: Square root needs nonneg input. So domain is $x \geq 0$. This is the part to check before moving on, because it keeps the answer tied to the original question.
- Keep the rule visible: $x^2 \geq 0$ always, and every nonneg value is hit. Range $y \geq 0$. That gives a quick check on the answer.
- The reciprocal shape is preserved. Parent: $\frac{1}{x}$. (The vertical asymptote is at $x = 5$ from the shift; the horizontal asymptote is at $y = -1$ from the -1 .)
- The S-curve looks the same after a 180° turn about the origin: $(-x)^3 = -x^3$, so $f(-x) = -f(x)$. That is origin symmetry — an odd function.
- Fold the parabola along the y -axis and the two halves match: $(-x)^2 = x^2$. That is y -axis symmetry — an even function.
- Vertical asymptote $x = 0$ (denominator zero); horizontal $y = 0$ (function decays as $|x| \rightarrow \infty$).
- One steady path is: Cube of a shifted input. Parent is x^3 ; the -1 shifts right. That gives a quick check on the answer.
- Start with the key idea: The V-shape has its corner at the origin. This is the part to check before moving on, because it keeps the answer tied to the original question.
- A careful way to see it: All reals except 0. The reciprocal blows up at zero. This is the part to check before moving on, because it keeps the answer tied to the original question.
- Keep the rule visible: Cube root keeps its shape under any scaling or shift. Parent: $\sqrt[3]{x}$. That gives a quick check on the answer.
- The V sits on the x -axis and opens upward, so outputs start at 0 and climb with no ceiling. The range is $[0, \infty)$.
- The square-root structure is unchanged by the outside coefficients and shifts.
- A careful way to see it: Denominator zero at $x = 5$. (The horizontal asymptote sits at $y = -1$.) That gives a quick check on the answer.
- Keep the rule visible: Squared expression of a shifted input. Parent: x^2 . This is the part to check before moving on, because it keeps the answer tied to the original question.
- One steady path is: Cube root is defined for all real numbers, including negatives. (Unlike \sqrt{x} .) That gives a quick check on the answer.
- Start with the key idea: $|x|$ grows without bound as $|x| \rightarrow \infty$. No horizontal asymptote. That gives a quick check on the answer.
- The squared expression marks this as a quadratic family member, so the parent is t^2 . The -16 flips the parabola upside-down and stretches it (so it opens downward and is narrower); rewriting in vertex form would expose the horizontal shift to $t = \frac{3}{2}$ and a vertical shift up to the maximum height. Several transformations are bundled in those three coefficients.
- The reciprocal-of-power structure puts this in the rational family with parent $\frac{1}{d^2}$. Near $d = 0$ the value blows up (vertical asymptote), which matches the physical fact that brightness is enormous very close to the bulb. As $d \rightarrow \infty$ the value approaches 0 (horizontal asymptote $y = 0$) — far from the bulb, the light fades to almost nothing.
- Parent is \sqrt{x} . The redesigned ramp starts 1 foot higher (the $+1$ shifts the whole curve up by 1) and rises twice as fast (the 2 vertically stretches it). At $x = 0$: $y = 1$. At $x = 9$: $y = 2(3) + 1 = 7$. So the new ramp begins at height 1 and ends at height 7, while the original begins at 0 and ends at 3 — steeper and taller throughout.
- The parent vertex at $(0, 0)$ shifts right by 3 (from $x - 3$) and up by 2 (from $+2$), landing at $(3, 2)$. The shape (a V opening upward with slope ± 1) is unchanged; only the position moved. The turn happens at the new vertex.



Build Algebra Confidence From Pre-Algebra Through Algebra II



The Complete Algebra Success Bundle

Pre-Algebra, Algebra I, and Algebra II in one clear path

Friendly lessons, focused practice, and full-review support for every stage.



Scan for the Bundle

6 Books
3 Courses
1 Path

Bundle Value: Six coordinated books help students review missing skills, learn new algebra topics, and practice until the steps feel natural.

Complete Course Path

- ✓ Starts with Pre-Algebra foundations
- ✓ Moves smoothly into Algebra I skills
- ✓ Extends learning through Algebra II topics
- ✓ Great for review, tutoring, and summer study

One bundle, one steady path.

Step-by-Step Lessons

- ✓ Plain-English explanations students can follow
- ✓ Worked examples that show every important step
- ✓ Common mistakes called out before they stick
- ✓ Skill-building practice after each lesson
- ✓ Helpful for independent study or class support

Less guessing. More understanding.

Practice That Sticks

- ✓ Matching practice workbooks for extra repetition
- ✓ Review sets to keep older skills fresh
- ✓ Answer explanations for checking thinking
- ✓ Strong support before tests and final exams
- ✓ Designed to build fluency and confidence

Practice today. Remember tomorrow.

STUDENT FAVORITE • Master Algebra II From the Ground Up



Algebra II for Beginners

Written by a top math teacher & aligned with national and state Algebra II courses. From polynomial functions to logarithms, trigonometry, and rational expressions — explained the easy way.

- ✓ **Complete coverage** of every Algebra II concept — perfect companion to these worksheets
- ✓ **Step-by-step explanations** with worked examples on every topic
- ✓ **QR codes in every chapter** for free video lessons & bonus practice
- ✓ **2 full-length practice tests** with detailed answer keys

- ✓ 100% Guaranteed
- ✓ Lifetime Support
- ✓ Trusted by Teachers

Start Your Algebra Journey Today! →

★ STUDENT'S #1 CHOICE ★

Teacher-recommended • 12,000+ Happy Students

PDF EDITION



Instant download • any device

PAPERBACK



Paperback on Amazon

Hold it in your hands

Pair these free worksheets with *Algebra II for Beginners* and you have a complete self-paced course — concept lessons, daily practice, and full exam-style reviews, all in one path. → EffortlessMath.com/product/algebra-ii-for-beginners