

# Rationalizing Imaginary Denominators

Name: \_\_\_\_\_ Date: \_\_\_\_\_ Score: \_\_\_\_\_ / 33

## Q Quick Review

Standard form for a complex number is  $a + bi$ , with no  $i$  stuck in a denominator. To convert  $\frac{1}{i}$  or  $\frac{1}{2 - 3i}$  into that form, you have to *rationalize* the denominator — multiply top and bottom by a carefully chosen factor that clears the  $i$ .

**Pure  $i$  in the denominator:** multiply by  $\frac{i}{i}$ . The denominator becomes  $i^2 = -1$ , a real number, and the negative sign carries up to the numerator. That's why  $\frac{1}{i} = -i$ , not  $+i$ .


**Complex denominator  $c + di$ :** multiply by the *conjugate*  $c - di$ . The product  $(c + di)(c - di) = c^2 + d^2$  is a real number, so the new denominator is real. Then split the result into  $a + bi$  form. The same idea works on a denominator like  $c - di$  — the conjugate is  $c + di$ . Just flip the sign on the imaginary part; do not touch the real part.

Two traps to flag. First, when you write  $\frac{x}{i} \cdot \frac{i}{i} = \frac{xi}{i^2}$ , do not stop at  $\frac{xi}{1}$ ; the denominator is  $-1$ , not  $1$ . Second, when you FOIL the numerator after multiplying by the conjugate, the  $-i^2$  term flips to  $+1$  and adds to the real part. Forgetting that flip is the single most common mistake on this whole section.


## PRACTICE

Rationalize each denominator. Write the result in standard form  $a + bi$ .

1.  $\frac{1}{i}$  \_\_\_\_\_
2.  $\frac{4}{i}$  \_\_\_\_\_
3.  $\frac{6}{2i}$  \_\_\_\_\_
4.  $\frac{1}{2 + i}$ . The denominator  $2 + i$  is plotted below; rationalize using its conjugate. \_\_\_\_\_



5.  $\frac{3+i}{1-2i}$ . Numerator  $3+i$  and denominator  $1-2i$  are both plotted below.



6.  $\frac{2}{3i} - \frac{1}{i}$

7.  $\frac{4-i}{3+2i}$

8.  $\frac{5}{2-3i}$

9.  $\frac{2-3i}{4+i}$

10.  $\frac{3+2i}{1-i}$

11.  $\frac{1}{3i}$

12.  $\frac{2i}{1+i}$

13.  $\frac{5+i}{i}$

14.  $\frac{6-2i}{2i}$

15.  $\frac{1}{(1+i)(1-i)}$

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



16.  $\frac{-3}{1-2i}$ . The denominator  $1-2i$  is plotted below; clear the  $i$  with its conjugate. \_\_\_\_\_



17.  $\frac{2+i}{2-i}$  \_\_\_\_\_

18.  $\frac{4}{i^3}$  \_\_\_\_\_

19.  $\frac{1+i}{1-i} + \frac{1-i}{1+i}$  \_\_\_\_\_

20.  $\frac{1}{4+5i}$  \_\_\_\_\_

◆ Word Problems

21. In an AC circuit, admittance  $Y$  is the reciprocal of impedance:  $Y = \frac{1}{Z}$ . If the impedance is  $Z = 3 + 4i$  ohms, find the admittance in standard form. \_\_\_\_\_

22. Maria simplifies  $\frac{2}{1-i}$  and writes  $1+i$  as her answer. She wants to check her work without re-doing the calculation. What product should equal 2 as the verification? \_\_\_\_\_

23. In a quantum-mechanics calculation, an amplitude comes out as  $\frac{1+2i}{3-i}$ . Express it in standard form  $a+bi$  so the real and imaginary parts are easy to read off. \_\_\_\_\_

24. A signal processor outputs  $\frac{5}{i}$  in raw form and  $\frac{10}{2+i}$  from a second channel. Express each in standard form and find the sum of the two simplified values. \_\_\_\_\_

Additional Practice

25. Add  $(3+2i) + (5-i)$ . \_\_\_\_\_

26. Subtract  $(4-i) - (1+6i)$ . \_\_\_\_\_

27. Multiply  $(2+3i)(1-i)$ . \_\_\_\_\_

28. Simplify  $i^{17}$ . \_\_\_\_\_

29. Simplify  $i^{22}$ . \_\_\_\_\_



30. Find the conjugate of  $6 - 5i$ .

\_\_\_\_\_

31. Find  $|3 + 4i|$ .

\_\_\_\_\_

32. Write  $\sqrt{-36}$  in simplest form.

\_\_\_\_\_

33. Divide  $\frac{8 + 6i}{2}$ .

\_\_\_\_\_



Answer Keys

1. $-i$	12. $1 + i$
2. $-4i$	13. $1 - 5i$
3. $-3i$	14. $-1 - 3i$
4. $\frac{2}{5} - \frac{1}{5}i$	15. $\frac{1}{2}$
5. $\frac{1}{5} + \frac{7}{5}i$	16. $-\frac{3}{5} - \frac{6}{5}i$
6. $\frac{1}{3}i$	17. $\frac{3}{5} + \frac{4}{5}i$
7. $\frac{10}{13} - \frac{11}{13}i$	18. $4i$
8. $\frac{10}{13} + \frac{15}{13}i$	19. $0$
9. $\frac{5}{17} - \frac{14}{17}i$	20. $\frac{4}{41} - \frac{5}{41}i$
10. $\frac{1}{2} + \frac{5}{2}i$	21. $Y = \frac{3}{25} - \frac{4}{25}i$ siemens
11. $-\frac{1}{3}i$	22. $(1 - i)(1 + i) = 2$
	23. $\frac{1}{10} + \frac{7}{10}i$
	24. $4 - 7i$
<b>Additional Practice Answers</b>	
25. $8 + i$	30. $6 + 5i$
26. $3 - 7i$	31. $5$
27. $5 + i$	32. $6i$
28. $i$	33. $4 + 3i$
29. $-1$	

Additional Practice: Answers for all numbered items, including the added practice, are shown in the grid above.

Step-by-Step Explanations

- To clear a lone  $i$ , multiply top and bottom by  $i$ :  $\frac{i}{i} \cdot \frac{i}{i} = \frac{i^2}{i^2}$ . Now  $i^2 = -1$ , so this is  $\frac{i}{-1} = -i$ . The sign flip comes entirely from  $i^2 = -1$  — watch out for stopping at  $+i$ .
- Multiply top and bottom by  $i$ :  $\frac{4}{i} \cdot \frac{i}{i} = \frac{4i}{i^2} = \frac{4i}{-1} = -4i$ . The coefficient 4 rides along with the  $i$ ; the minus comes from  $i^2 = -1$ .
- Reduce the numeric part first:  $\frac{6}{2i} = \frac{3}{i}$ . Then multiply by  $\frac{i}{i}$ :  $\frac{3i}{i^2} = \frac{3i}{-1} = -3i$ .
- Conjugate of  $2 + i$  is  $2 - i$ . Bottom:  $(2 + i)(2 - i) = 4 + 1 = 5$ . Top:  $1 \cdot (2 - i) = 2 - i$ . So  $\frac{2 - i}{5} = \frac{2}{5} - \frac{1}{5}i$ .
- Conjugate of  $1 - 2i$  is  $1 + 2i$ . Bottom:  $1 + 4 = 5$ . Top:  $(3 + i)(1 + 2i) = 3 + 6i + i + 2i^2 = 3 + 7i - 2 = 1 + 7i$ . Answer:  $\frac{1 + 7i}{5} = \frac{1}{5} + \frac{7}{5}i$ .
- Rationalize each piece.  $\frac{2}{3i} \cdot \frac{i}{i} = \frac{2i}{-3} = -\frac{2}{3}i$ .  $\frac{1}{i} \cdot \frac{i}{i} = -i$ . Subtract:  $-\frac{2}{3}i - (-i) = -\frac{2}{3}i + \frac{3}{3}i = \frac{1}{3}i$ .
- Conjugate of  $3 + 2i$  is  $3 - 2i$ . Bottom:  $9 + 4 = 13$ . Top:  $(4 - i)(3 - 2i) = 12 - 8i - 3i + 2i^2 = 12 - 11i - 2 = 10 - 11i$ . Answer:  $\frac{10 - 11i}{13} = \frac{10}{13} - \frac{11}{13}i$ .
- Conjugate of  $2 - 3i$  is  $2 + 3i$ . Bottom:  $4 + 9 = 13$ . Top:  $5(2 + 3i) = 10 + 15i$ . So  $\frac{10 + 15i}{13} = \frac{10}{13} + \frac{15}{13}i$ .
- Conjugate of  $4 + i$  is  $4 - i$ . Bottom:  $16 + 1 = 17$ . Top:  $(2 - 3i)(4 - i) = 8 - 2i - 12i + 3i^2 = 8 - 14i - 3 = 5 - 14i$ . Answer:  $\frac{5 - 14i}{17} = \frac{5}{17} - \frac{14}{17}i$ .
- Conjugate of  $1 - i$  is  $1 + i$ . Bottom:  $1 + 1 = 2$ . Top:  $(3 + 2i)(1 + i) =$

- $3 + 3i + 2i + 2i^2 = 3 + 5i - 2 = 1 + 5i$ . Answer:  $\frac{1 + 5i}{2} = \frac{1}{2} + \frac{5}{2}i$ .
- Multiply top and bottom by  $i$ :  $\frac{i}{3i} \cdot \frac{i}{i} = \frac{i^2}{3i^2}$ . Since  $i^2 = -1$  the bottom is  $-3$ , giving  $\frac{i}{-3} = -\frac{1}{3}i$ .
- Conjugate  $1 - i$ . Bottom: 2. Top:  $2i(1 - i) = 2i - 2i^2 = 2i + 2 = 2 + 2i$ . So  $\frac{2 + 2i}{2} = 1 + i$ .
- Multiply by  $\frac{i}{i}$ :  $\frac{(5 + i)i}{i^2} = \frac{5i + i^2}{-1} = \frac{5i - 1}{-1} = 1 - 5i$ . (You can also split:  $\frac{5}{i} + \frac{i}{i} = -5i + 1$ .)
- Keep the rule visible: Multiply by  $\frac{i}{i}$ :  $\frac{(6 - 2i)i}{2i^2} = \frac{6i - 2i^2}{-2} = \frac{6i + 2}{-2} = \frac{2 + 6i}{-2} = -1 - 3i$ . That gives a quick check on the answer.
- The denominator is already a conjugate pair:  $(1 + i)(1 - i) = 1 + 1 = 2$ . So the expression is  $\frac{1}{2}$  — no rationalization needed because the denominator was already real.
- Conjugate  $1 + 2i$ . Bottom:  $1 + 4 = 5$ . Top:  $-3(1 + 2i) = -3 - 6i$ . So  $\frac{-3 - 6i}{5} = -\frac{3}{5} - \frac{6}{5}i$ .
- Conjugate  $2 + i$ . Bottom:  $4 + 1 = 5$ . Top:  $(2 + i)(2 + i) = (2 + i)^2 = 4 + 4i + i^2 = 3 + 4i$ . So  $\frac{3 + 4i}{5} = \frac{3}{5} + \frac{4}{5}i$ .
- First simplify the power:  $i^3 = -i$ , so the expression is  $\frac{4}{-i}$ . Multiply top and bottom by  $i$ :  $\frac{4i}{-i^2} = \frac{4i}{1} = 4i$  (since  $-i^2 = +1$ ). Knowing the  $i$ -cycle turns this



into one clean step.

19. Each fraction rationalizes separately.  $\frac{1+i}{1-i} \cdot \frac{1+i}{1+i} = \frac{(1+i)^2}{2} = \frac{2i}{2} = i$ .

By symmetry the second is  $\frac{(1-i)^2}{2} = \frac{-2i}{2} = -i$ . Sum:  $i + (-i) = 0$ .

20. Conjugate  $4 - 5i$ . Bottom:  $16 + 25 = 41$ . Top:  $4 - 5i$ . Answer:  $\frac{4-5i}{41} = \frac{4}{41} - \frac{5}{41}i$ .

21. A careful way to see it:  $Y = \frac{1}{3+4i} \cdot \frac{3-4i}{3-4i} = \frac{3-4i}{9+16} = \frac{3-4i}{25} = \frac{3}{25} - \frac{4}{25}i$  siemens. (The unit for admittance is the siemens, reciprocal of ohms.)

That gives a quick check on the answer.


22. If  $\frac{2}{1-i} = 1+i$ , then  $2 = (1-i)(1+i)$ . Check:  $(1-i)(1+i) = 1 - i^2 = 1 - (-1) = 2$  ✓. (Re-multiplying the denominator by the boxed answer is the quickest sanity check for any rationalization.)

23. Multiply by the conjugate  $3+i$ . Bottom:  $(3-i)(3+i) = 9+1=10$ . Top:  $(1+2i)(3+i) = 3+i+6i+2i^2 = 3+7i-2 = 1+7i$ . Standard form:  $\frac{1+7i}{10} = \frac{1}{10} + \frac{7}{10}i$ .

24. First:  $\frac{5}{i} \cdot \frac{i}{i} = \frac{5i}{-1} = -5i$ . Second:  $\frac{10}{2+i} \cdot \frac{2-i}{2-i} = \frac{10(2-i)}{5} = 2(2-i) = 4-2i$ . Sum:  $(-5i) + (4-2i) = 4-7i$ .



## Build Algebra Confidence From Pre-Algebra Through Algebra II



### The Complete Algebra Success Bundle

Pre-Algebra, Algebra I, and Algebra II in one clear path

Friendly lessons, focused practice, and full-review support for every stage.



Scan for the Bundle

**6 Books**  
**3 Courses**  
**1 Path**

**Bundle Value:** Six coordinated books help students review missing skills, learn new algebra topics, and practice until the steps feel natural.

#### Complete Course Path

- ✓ Starts with Pre-Algebra foundations
- ✓ Moves smoothly into Algebra I skills
- ✓ Extends learning through Algebra II topics
- ✓ Great for review, tutoring, and summer study

**One bundle, one steady path.**

#### Step-by-Step Lessons

- ✓ Plain-English explanations students can follow
- ✓ Worked examples that show every important step
- ✓ Common mistakes called out before they stick
- ✓ Skill-building practice after each lesson
- ✓ Helpful for independent study or class support


**Less guessing. More understanding.**

#### Practice That Sticks

- ✓ Matching practice workbooks for extra repetition
- ✓ Review sets to keep older skills fresh
- ✓ Answer explanations for checking thinking
- ✓ Strong support before tests and final exams
- ✓ Designed to build fluency and confidence

**Practice today. Remember tomorrow.**

### STUDENT FAVORITE • Master Algebra II From the Ground Up



### Algebra II for Beginners

Written by a top math teacher & aligned with national and state Algebra II courses. From polynomial functions to logarithms, trigonometry, and rational expressions — explained the easy way.

- ✓ **Complete coverage** of every Algebra II concept — perfect companion to these worksheets
- ✓ **Step-by-step explanations** with worked examples on every topic
- ✓ **QR codes in every chapter** for free video lessons & bonus practice
- ✓ **2 full-length practice tests** with detailed answer keys

- ✓ 100% Guaranteed
- ✓ Lifetime Support
- ✓ Trusted by Teachers

Start Your Algebra Journey Today! →

★ STUDENT'S #1 CHOICE ★

Teacher-recommended • 12,000+ Happy Students

PDF EDITION



Instant download • any device

PAPERBACK



Paperback on Amazon

Hold it in your hands

Pair these free worksheets with *Algebra II for Beginners* and you have a complete self-paced course — concept lessons, daily practice, and full exam-style reviews, all in one path. → [EffortlessMath.com/product/algebra-ii-for-beginners](https://EffortlessMath.com/product/algebra-ii-for-beginners)