

Simplifying Variable Expressions

Name: _____

Date: _____

Score: _____ / 18

Quick Review and Helpful Hints

To *simplify* an expression, combine *like terms* – terms with the same variable raised to the same power. First use the *distributive property* to clear parentheses ($a(b + c) = ab + ac$), then add or subtract the like terms. Constants combine with constants.

▷ **Example:** Simplify $3(2x + 4) - 5x + 7$. **Work:** Distribute the 3: $6x + 12 - 5x + 7$. Combine the x -terms: $6x - 5x = x$. Combine the constants: $12 + 7 = 19$.
★ **Answer:** $x + 19$

$$3(x + 2)$$

$$= 3x + 6$$

Distribute to each term, then combine.

◆ Practice Problems

Simplify each expression.

1. $2x + 5x$ _____

8. $6x - 2(x + 1)$ _____

2. $8a - 3a$ _____

9. $4(a + 2) + 3(a - 1)$ _____

3. $4x + 3 + 2x$ _____

10. $3x + 2y - x + 4y$ _____

4. $7y - 2 - y + 5$ _____

11. $-2(3x - 4)$ _____

5. $3(x + 2)$ _____

12. $5 + 2(x - 3)$ _____

6. $5(2x - 1)$ _____

13. $8m - 3(m - 2)$ _____

7. $2(x + 3) + 4x$ _____

14. $2(x + 5) + 3(2x - 1)$ _____

◆ Word Problems

15. A rectangle has length $x + 4$ and width 3. Write a simplified expression for its perimeter. _____16. You buy x shirts at \$7 each and one \$5 cap. Write a simplified expression for the total cost. _____17. There are 3 boxes that each hold $(x + 2)$ pencils, plus 4 loose pencils. Write a simplified expression for the total. _____18. A taxi charges \$3 plus \$2 per mile, then a \$4 coupon is applied. Write a simplified expression for the cost of m miles. _____

Answer Keys

1. $7x$

2. $5a$

3. $6x + 3$

4. $6y + 3$

5. $3x + 6$

6. $10x - 5$

7. $6x + 6$

8. $4x - 2$

9. $7a + 5$

10. $2x + 6y$

11. $-6x + 8$

12. $2x - 1$

13. $5m + 6$

14. $8x + 7$

15. $2x + 14$

16. $7x + 5$

17. $3x + 10$

18. $2m - 1$

Step-by-Step Explanations

1. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is These are like terms, so just add the coefficients: $2x + 5x = 7x$. So the final answer is $7x$.

2. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Both terms have a , so subtract the coefficients: $8a - 3a = 5a$. So the final answer is $5a$.

3. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Group the x -terms and the numbers: $(4x + 2x) + 3 = 6x + 3$. So the final answer is $6x + 3$.

4. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Combine the y -terms ($7y - y = 6y$) and the constants ($-2 + 5 = 3$): $6y + 3$. So the final answer is $6y + 3$.

5. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute the 3 to each term inside: $3 \cdot x + 3 \cdot 2 = 3x + 6$. So the final answer is $3x + 6$.

6. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute the 5: $5 \cdot 2x - 5 \cdot 1 = 10x - 5$. So the final answer is $10x - 5$.

7. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute first: $2x + 6$. Then add the $4x$: $2x + 4x + 6 = 6x + 6$. So the final answer is $6x + 6$.

8. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute the -2 : $6x - 2x - 2$. Combine: $4x - 2$. So the final answer is $4x - 2$.

9. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute both: $4a + 8$ and $3a - 3$. Combine: $(4a + 3a) + (8 - 3) = 7a + 5$. So the final answer is $7a + 5$.

10. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Combine the x -terms ($3x - x = 2x$) and the y -terms ($2y + 4y = 6y$): $2x + 6y$. So the final answer is $2x + 6y$.

11. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is A negative multiplier flips each sign: $-2 \cdot 3x = -6x$ and $-2 \cdot (-4) = +8$, giving $-6x + 8$. So the final answer is $-6x + 8$.

12. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute: $5 + 2x - 6$. Combine the constants $5 - 6 = -1$: $2x - 1$. So the final answer is $2x - 1$.

13. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute the -3 : $8m - 3m + 6$. Combine: $5m + 6$. So the final answer is $5m + 6$.

14. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Distribute both: $2x + 10$ and $6x - 3$. Combine: $(2x + 6x) + (10 - 3) = 8x + 7$. So the final answer is $8x + 7$.

15. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Perimeter is $2(\text{length} + \text{width}) = 2((x + 4) + 3) = 2(x + 7) = 2x + 14$. So the final answer is $2x + 14$.

16. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Each shirt costs \$7, so x shirts cost $7x$; add the \$5 cap: $7x + 5$. So the final answer is $7x + 5$.


17. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Three boxes give $3(x + 2) = 3x + 6$ pencils; add the 4 loose ones: $3x + 10$. So the final answer is $3x + 10$.

18. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is The cost is $3 + 2m$, then subtract the \$4 coupon: $3 + 2m - 4 = 2m - 1$. So the final answer is $2m - 1$.



Keep Building CLEP College Mathematics Skills

Recommended Effortless Math resources



CLEP College Mathematics Test Prep Bundle

Use the complete CLEP College Mathematics resource for review, worked examples, extra practice, and test-style questions after each worksheet.



Scan Me
Download Instantly

STUDENT FAVORITE - CLEP College Mathematics for Beginners



CLEP College Mathematics for Beginners 2026

Step-by-step lessons, topic practice, and full review support for students who want a calm path through CLEP College Mathematics preparation.

A strong companion for self-study, tutoring, homework, and targeted review.

PDF Edition



Scan Me
Download Instantly