

Probability of Compound Events


Name: _____ Date: _____ Score: _____ / 18

Quick Review and Helpful Hints

For *independent* events, $P(A \text{ and } B) = P(A) \cdot P(B)$ – multiply. For *mutually exclusive* events, $P(A \text{ or } B) = P(A) + P(B)$ – add. Every probability is a number between 0 and 1, often written as a fraction.

▶ **Example:** A coin is flipped twice. Find $P(\text{heads and heads})$.

Work: Each flip has $P(H) = \frac{1}{2}$. Multiply: $\frac{1}{2} \cdot \frac{1}{2}$. ★ **Answer:** $\frac{1}{4}$



Multiply along the branches.

Practice Problems

Find each probability.

- | | | | |
|--|-------|--|-------|
| 1. Two coins, $P(H \text{ and } H)$ | _____ | 8. $P(\text{red or blue})$ if each is $\frac{1}{4}$ | _____ |
| 2. Roll a die twice, $P(6 \text{ and } 6)$ | _____ | 9. Roll a die, $P(\text{odd})$ | _____ |
| 3. $P(\text{red}) = \frac{1}{2}$, $P(\text{blue}) = \frac{1}{3}$: $P(\text{red and blue})$ | _____ | 10. Spinner of 4 equal parts, $P(\text{one part})$ | _____ |
| 4. Coin and die: $P(H \text{ and } 4)$ | _____ | 11. Two draws, $P(\text{ace and ace})$ if $P(\text{ace}) = \frac{1}{13}$ | _____ |
| 5. $P(1 \text{ or } 2)$ on a die | _____ | 12. $P(3 \text{ or } 5)$ on a die | _____ |
| 6. $P(\text{even})$ on a die | _____ | 13. Two coins, $P(H \text{ then } T)$ | _____ |
| 7. Two coins, $P(T \text{ and } T)$ | _____ | 14. $P(\text{not } 6)$ on a die | _____ |

Word Problems

15. Flip a coin and roll a die. Find $P(\text{tails and a } 3)$. _____
16. A bag is $\frac{1}{2}$ red. Draw twice with replacement. Find $P(\text{red then red})$. _____
17. Roll two dice. Find $P(\text{both show } 1)$. _____
18. On one die, find $P(\text{rolling a } 2 \text{ or a } 5)$. _____



Answer Keys

1. $\frac{1}{4}$

2. $\frac{1}{36}$

3. $\frac{1}{6}$

4. $\frac{1}{12}$

5. $\frac{1}{3}$

6. $\frac{1}{2}$

7. $\frac{1}{4}$

8. $\frac{1}{2}$

9. $\frac{1}{2}$

10. $\frac{1}{4}$

11. $\frac{1}{169}$

12. $\frac{1}{3}$

13. $\frac{1}{4}$

14. $\frac{5}{6}$

15. $\frac{1}{12}$

16. $\frac{1}{4}$

17. $\frac{1}{36}$

18. $\frac{1}{3}$

Step-by-Step Explanations

1. Start by naming the process: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$. So the final answer is $\frac{1}{4}$.

2. A good way to think about this is: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{6} \cdot \frac{1}{6} = \frac{1}{36}$. So the final answer is $\frac{1}{36}$.

3. Step by step: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{3} = \frac{1}{6}$. So the final answer is $\frac{1}{6}$.

4. Take it one move at a time: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{6} = \frac{1}{12}$. So the final answer is $\frac{1}{12}$.

5. Start by naming the process: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{6} + \frac{1}{6} = \frac{2}{6} = \frac{1}{3}$. So the final answer is $\frac{1}{3}$.

6. A good way to think about this is: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\{2, 4, 6\}$: $\frac{3}{6} = \frac{1}{2}$. So the final answer is $\frac{1}{2}$.

7. Step by step: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$. So the final answer is $\frac{1}{4}$.

8. Take it one move at a time: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{4} + \frac{1}{4} = \frac{1}{2}$. So the final answer is $\frac{1}{2}$.

9. Start by naming the process: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\{1, 3, 5\}$: $\frac{3}{6} = \frac{1}{2}$. So the final answer is $\frac{1}{2}$.

10. A good way to think about this is: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is One of four equal parts: $\frac{1}{4}$. So the final answer is $\frac{1}{4}$.

11. Step by step: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{13} \cdot \frac{1}{13} = \frac{1}{169}$. So the final answer is $\frac{1}{169}$.

12. Take it one move at a time: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{6} + \frac{1}{6} = \frac{1}{3}$. So the final answer is $\frac{1}{3}$.

13. Start by naming the process: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$. So the final answer is $\frac{1}{4}$.

14. A good way to think about this is: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is 5 faces are not 6: $\frac{5}{6}$. So the final answer is $\frac{5}{6}$.

15. Step by step: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{6} = \frac{1}{12}$. So the final answer is $\frac{1}{12}$.

16. Take it one move at a time: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{2} \cdot \frac{1}{2} = \frac{1}{4}$. So the final answer is $\frac{1}{4}$.

17. Start by naming the process: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{6} \cdot \frac{1}{6} = \frac{1}{36}$. So the final answer is $\frac{1}{36}$.

18. A good way to think about this is: For compound probability, find each probability first and multiply them when the events happen together. The setup/work is $\frac{1}{6} + \frac{1}{6} = \frac{1}{3}$. So the final answer is $\frac{1}{3}$.



Keep Building CLEP College Mathematics Skills

Recommended Effortless Math resources




CLEP College Mathematics Test Prep Bundle

Use the complete CLEP College Mathematics resource for review, worked examples, extra practice, and test-style questions after each worksheet.



Scan Me
Download Instantly

STUDENT FAVORITE - CLEP College Mathematics for Beginners



CLEP College Mathematics for Beginners 2026

Step-by-step lessons, topic practice, and full review support for students who want a calm path through CLEP College Mathematics preparation.

A strong companion for self-study, tutoring, homework, and targeted review.

PDF Edition



Scan Me
Download Instantly