

When an Expression Is Undefined

Name: _____

Date: _____

Score: _____ / 18

Quick Review and Helpful Hints

A fraction is *undefined* when its denominator equals 0, because dividing by zero is not allowed. To find where an expression is undefined, set the *denominator* equal to 0 and solve for x .

▶ **Example:** For what value of x is $\frac{1}{x-2}$ undefined? **Work:** Set the denominator to 0: $x - 2 = 0$, so $x = 2$. ★ **Answer:** $x = 2$



Never divide by zero.

◆ Practice Problems

Find where each expression is undefined.

1. $\frac{1}{x-2}$ _____

8. $\frac{1}{x-7}$ _____

2. $\frac{1}{x+3}$ _____

9. $\frac{3}{x+1}$ _____

3. $\frac{1}{x}$ _____

10. $\frac{1}{x-10}$ _____

4. $\frac{5}{x-1}$ _____

11. $\frac{1}{x+2}$ _____

5. $\frac{1}{x+5}$ _____

12. $\frac{4}{x-6}$ _____

6. $\frac{2}{x-4}$ _____

13. Can you divide by 0? _____

7. $\frac{1}{2x}$ _____

14. $\frac{1}{x}$ undefined at _____

◆ Word Problems

15. A formula has $x - 3$ in the denominator. Where is it undefined? _____16. For what value is $\frac{1}{x+4}$ undefined? _____17. Why is $\frac{5}{0}$ undefined? _____18. At what value is $\frac{1}{x-9}$ undefined? _____

Answer Keys

- | | | |
|-------------|--------------|----------------------|
| 1. $x = 2$ | 7. $x = 0$ | 13. No |
| 2. $x = -3$ | 8. $x = 7$ | 14. $x = 0$ |
| 3. $x = 0$ | 9. $x = -1$ | 15. $x = 3$ |
| 4. $x = 1$ | 10. $x = 10$ | 16. $x = -4$ |
| 5. $x = -5$ | 11. $x = -2$ | 17. division by zero |
| 6. $x = 4$ | 12. $x = 6$ | 18. $x = 9$ |

Step-by-Step Explanations

1. Start by naming the process: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 2 = 0 \Rightarrow x = 2$. So the final answer is $x = 2$.
2. A good way to think about this is: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x + 3 = 0 \Rightarrow x = -3$. So the final answer is $x = -3$.
3. Step by step: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x = 0$ makes the bottom 0. So the final answer is $x = 0$.
4. Take it one move at a time: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 1 = 0 \Rightarrow x = 1$. So the final answer is $x = 1$.
5. Start by naming the process: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x + 5 = 0 \Rightarrow x = -5$. So the final answer is $x = -5$.
6. A good way to think about this is: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 4 = 0 \Rightarrow x = 4$. So the final answer is $x = 4$.
7. Step by step: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $2x = 0 \Rightarrow x = 0$. So the final answer is $x = 0$.
8. Take it one move at a time: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 7 = 0 \Rightarrow x = 7$. So the final answer is $x = 7$.
9. Start by naming the process: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x + 1 = 0 \Rightarrow x = -1$. So the final answer is $x = -1$.
10. A good way to think about this is: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 10 = 0 \Rightarrow x = 10$. So the final answer is $x = 10$.
11. Step by step: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x + 2 = 0 \Rightarrow x = -2$. So the final answer is $x = -2$.
12. Take it one move at a time: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 6 = 0 \Rightarrow x = 6$. So the final answer is $x = 6$.
13. Start by naming the process: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is No - division by zero is undefined. So the final answer is No.
14. A good way to think about this is: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x = 0$ makes the bottom 0. So the final answer is $x = 0$.
15. Step by step: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 3 = 0 \Rightarrow x = 3$. So the final answer is $x = 3$.
16. Take it one move at a time: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x + 4 = 0 \Rightarrow x = -4$. So the final answer is $x = -4$.
17. Start by naming the process: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is The denominator is 0 (dividing by zero). So the final answer is division by zero.
18. A good way to think about this is: A fraction is undefined when its denominator is zero, so set the denominator equal to zero and solve. The setup/work is $x - 9 = 0 \Rightarrow x = 9$. So the final answer is $x = 9$.



Keep Building OAE Elementary Education Math (019) Skills

Recommended Effortless Math resources



OAE Elementary Education Math Comprehensive Preparation Bundle



Scan Me
Download Instantly

STUDENT FAVORITE - OAE Elementary Education Math (019) for Beginners



OAE Elementary Education Math (019) for Beginners 2026

Step-by-step lessons, topic practice, and full review support for students who want a calm path through OAE Elementary Education Math (019) preparation.

A strong companion for self-study, tutoring, homework, and targeted review.



PDF Edition
Scan Me
Download Instantly