

Constant of Proportionality

Name: _____

Date: _____

Score: _____ / 18


Quick Review and Helpful Hints

In a proportional relationship $y = kx$, the number k is the *constant of proportionality* – it equals $\frac{y}{x}$ (the unit rate). Find k by dividing any y by its x . The graph is a straight line through the origin.

▷ **Example:** If $y = 12$ when $x = 3$, find k . **Work:** Divide y by x :

$$k = \frac{12}{3} = 4.$$

★ **Answer:** $k = 4$



$y = kx$ through the origin.

◆ Practice Problems

Find the constant of proportionality k .

1. $y = 12, x = 3$

2. $y = 20, x = 4$

3. $y = 15, x = 5$

4. $y = 10, x = 2$

5. $y = 9, x = 3$

6. $y = 24, x = 6$

7. $y = 7, x = 1$

8. $y = 100, x = 20$

9. $y = 18, x = 9$

10. $y = 8, x = 4$

11. $y = 30, x = 5$

12. Table $x: 1, 2, 3, y: 2, 4, 6$

13. Table $x: 2, 4, y: 6, 12$

14. $y = 50, x = 10$

◆ Word Problems

15. 3 lb of apples cost \$12. Find k (cost per pound).

16. A car travels 120 mi in 2 hr. Find k (miles per hour).

17. $y = 45$ when $x = 9$. Find k .

18. If $y = kx$ with $y = 16$ and $x = 4$, find k .



Answer Keys

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

16.

17.

18.

Step-by-Step Explanations

1. Start by naming the process: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is In a proportional relationship, the constant is found with $k = \frac{y}{x}$. Here $y = 12$ and $x = 3$, so divide $12 \div 3 = 4$. Therefore $k = 4$. So the final answer is 4.

2. A good way to think about this is: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Use the rule $k = \frac{y}{x}$, which means divide the y -value by the matching x -value. With $y = 20$ and $x = 4$, $20 \div 4 = 5$, so $k = 5$. So the final answer is 5.

3. Step by step: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is The constant tells how much y there is for each 1 unit of x . Divide y by x : $15 \div 5 = 3$, so $k = 3$. So the final answer is 3.

4. Take it one move at a time: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Start with $k = \frac{y}{x}$. Substitute the given values: $k = \frac{10}{2}$. Since $10 \div 2 = 5$, the constant is $k = 5$. So the final answer is 5.

5. Start by naming the process: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Divide the dependent value y by the input value x . Here $9 \div 3 = 3$, so the relationship has constant of proportionality $k = 3$. So the final answer is 3.

6. A good way to think about this is: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is To find k , ask how much y goes with one x . Since 24 goes with 6, divide $24 \div 6 = 4$. So $k = 4$. So the final answer is 4.

7. Step by step: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Use $k = \frac{y}{x}$. Because $x = 1$, the constant is the same as the y -value: $7 \div 1 = 7$, so $k = 7$. So the final answer is 7.

8. Take it one move at a time: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is The pair is $x = 20$ and $y = 100$. Divide y by x : $100 \div 20 = 5$. This means y increases by 5 for every 1 increase in x , so $k = 5$. So the final answer is 5.

9. Start by naming the process: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Use the matching values $y = 18$ and $x = 9$. The constant is $18 \div 9 = 2$, so each 1 unit of x corresponds to 2 units of y . So the final answer is 2.

10. A good way to think about this is: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Find the unit rate by dividing y by x . Here $8 \div 4 = 2$, so the constant of proportionality is $k = 2$. So the final answer is 2.

11. Step by step: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Substitute into $k = \frac{y}{x}$: $k = \frac{30}{5}$. Dividing gives $30 \div 5 = 6$, so $k = 6$. So the final answer is 6.

12. Take it one move at a time: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is From the table, use one matching pair such as $x = 1$ and $y = 2$. Divide $2 \div 1 = 2$; the other pairs give the same result, so $k = 2$. So the final answer is 2.

13. Start by naming the process: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Choose a matching pair from the table, for example $x = 2$ and $y = 6$. Then $k = \frac{6}{2} = 3$; the pair $x = 4$, $y = 12$ also gives $12 \div 4 = 3$, so $k = 3$. So the final answer is 3.

14. A good way to think about this is: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Apply $k = \frac{y}{x}$ with $y = 50$ and $x = 10$. Dividing 50 by 10 gives 5, so the constant is $k = 5$. So the final answer is 5.

15. Step by step: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Here k means cost per pound. Divide the total cost by the number of pounds: $12 \div 3 = 4$. So the constant is $k = 4$ dollars per pound. So the final answer is 4.

16. Take it one move at a time: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Here k means miles per hour, or miles for one hour. Divide distance by time: $120 \div 2 = 60$. So $k = 60$ miles per hour. So the final answer is 60.


17. Start by naming the process: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is Use the same proportional rule: divide y by x . With $y = 45$ and $x = 9$, $45 \div 9 = 5$, so $k = 5$. So the final answer is 5.

18. A good way to think about this is: In a proportional relationship, the constant is the unit rate, so divide the matching y -value by the x -value. The setup/work is In $y = kx$, dividing both sides by x gives $k = \frac{y}{x}$. Substitute $y = 16$ and $x = 4$: $16 \div 4 = 4$, so $k = 4$. So the final answer is 4.



Keep Building Praxis Core Math Skills

Recommended Effortless Math resources




The Most Comprehensive Praxis Core Math Preparation Bundle

Use the complete Praxis Core Math resource for review, worked examples, extra practice, and test-style questions after each worksheet.



Scan Me
Download Instantly

STUDENT FAVORITE - Praxis Core Math for Beginners



Praxis Core Math for Beginners 2026

Step-by-step lessons, topic practice, and full review support for students who want a calm path through Praxis Core Math preparation.

A strong companion for self-study, tutoring, homework, and targeted review.

PDF Edition



Scan Me
Download Instantly

For more Praxis Core Math prep, visit EffortlessMath.com/Praxis-Core