


Properties of Multiplication

The properties of multiplication are little rules that let you rearrange and break apart problems to make them easier. You already use them without thinking — this lesson gives them names.

Property	Rule
Commutative	$a \times b = b \times a$
Associative	$(a \times b) \times c = a \times (b \times c)$
Identity	$a \times 1 = a$
Zero	$a \times 0 = 0$
Distributive	$a \times (b + c) = a \times b + a \times c$




Key Concepts

- 1. Commutative property:** switching the order of two factors does not change the product. 4×7 and 7×4 both equal 28.
- 2. Associative property:** when you multiply three numbers, the grouping does not matter. $(2 \times 3) \times 4 = 2 \times (3 \times 4)$. Both equal 24.
- 3. Distributive property:** a hard fact can often be split into two easier ones. $6 \times 7 = 6 \times 5 + 6 \times 2 = 30 + 12 = 42$.
- 4. Identity:** multiplying by 1 leaves the number alone. **Zero:** multiplying by 0 always gives 0.


Worked Examples

① Use the commutative property to find 8×3 if you know $3 \times 8 = 24$.

 The commutative property says you can swap the two numbers and the product stays the same. So 8×3 is the same as 3×8 , which we already know equals 24. The answer is 24 without doing any new arithmetic.


 **Answer:** 24

② Use the distributive property: 7×6 .

 Break the 6 into pieces that you know well. One easy way: $6 = 5 + 1$. Then $7 \times 6 = 7 \times 5 + 7 \times 1 = 35 + 7 = 42$. The distributive property turns one hard multiplication into two easier ones plus an addition.

 **Answer:** 42

③ Find $(2 \times 4) \times 5$ using the associative property.

 The associative property lets you re-group the multiplication. The original groups $(2 \times 4) \times 5$ would have you compute $8 \times 5 = 40$. But $4 \times 5 = 20$ is a friendly fact, so regroup: $2 \times (4 \times 5) = 2 \times 20 = 40$. Same answer, easier path.

 **Answer:** 40

Practice Problems

Fill in the blank or find the product. Name the property when asked.

- | | |
|--|---|
| <p>1. $5 \times 9 = 9 \times ?$ _____</p> <p>2. $0 \times 47 =$ _____</p> <p>3. $1 \times 86 =$ _____</p> <p>4. $(3 \times 2) \times 5 = 3 \times (2 \times ?)$ _____</p> <p>5. $4 \times 8 = 4 \times 5 + 4 \times ?$ _____</p> <p>6. $6 \times 7 = 7 \times ?$ _____</p> | <p>7. $8 \times (3 + 2) = 8 \times 3 + 8 \times ?$ _____</p> <p>8. $(5 \times 1) \times 9 = 5 \times ?$ _____</p> <p>9. $3 \times 0 + 3 \times 4 = 3 \times (0 + ?)$ _____</p> <p>10. $9 \times 4 = 9 \times 2 + 9 \times 2 =$ _____</p> <p>11. $7 \times 1 =$ _____</p> <p>12. $(4 \times 5) \times 2 = 4 \times (5 \times 2) =$ _____</p> |
|--|---|

Study Tips

-  The commutative property is your most-used shortcut: if you forget 7×8 , try 8×7 — it might come to you faster.
-  The distributive property is what teachers eventually call “break-apart strategy.” Splitting one factor often turns a scary fact into two friendly ones.
-  Multiplying by 0 wipes out the whole product. Don’t get tricked: $0 \times 100 = 0$, not 100.

Word Problems

1. Emma knows $5 \times 8 = 40$. Use a property to explain why 8×5 also equals 40.

Answer: _____

2. A baker makes 3 trays of cookies. Each tray has 2 rows of 5 cookies. How many cookies in all?

Answer: _____

Answer Key — with Friendly Explanations**Practice Problems**

1. Commutative property — swap the factors, the missing number is 5.

 **Answer:** 5

2. Zero property — any number times 0 is 0.

 **Answer:** 0

3. Identity property — any number times 1 stays the same.

 **Answer:** 86

4. Associative — regrouping does not change the answer. The missing factor is 5.

 **Answer:** 5

5. Distributive — $4 \times 8 = 4 \times 5 + 4 \times 3 = 20 + 12 = 32$. Missing: 3.

 **Answer:** 3

6. Commutative — the missing factor is 6.

 **Answer:** 6

7. Distributive — $8 \times (3 + 2) = 8 \times 3 + 8 \times 2$. Missing: 2.

 **Answer:** 2

8. Identity — $(5 \times 1) = 5$, so the expression is 5×9 . Missing: 9.

 **Answer:** 9

9. Distributive — both sides equal $3 \times 4 = 12$. Missing: 4.

 **Answer:** 4

10. $9 \times 2 + 9 \times 2 = 18 + 18 = 36$. Same as 9×4 .

 **Answer:** 36

11. Identity — any number times 1 is itself.

 **Answer:** 7

12. Associative — compute either side: $5 \times 2 = 10$, then $4 \times 10 = 40$.

 **Answer:** 40

Word Problems

1. Commutative property — swapping factors leaves the product unchanged.


 **Answer:** *Commutative property*

2. Each tray has $2 \times 5 = 10$ cookies; three trays = 30. Uses associative.

 **Answer:** 30 *cookies*

Want a Complete Grade 3 Math Program?

Check Out Our Connecticut SBAC Grade 3 Math Bundle!



Connecticut SBAC Grade 3 Math Bundle

Practice tests, complete answer keys, and step-by-step explanations
Everything a third grader needs to feel ready!

Tests +
Answer Keys
One Bundle

Find it online:

<https://www.effortlessmath.com/product/connecticut-smarter-balanced-grade-3-math-made-ridiculously>

Important: This bundle combines the practice and the explanations into one easy-to-print package designed for Grade 3 students. **Made for parents, teachers, and tutors who want everything in one place.**

Full Practice Tests

- ✓ Complete SBAC-style practice tests
- ✓ Mirrors the real exam format and difficulty
- ✓ Builds test-taking confidence
- ✓ Aligned with state Grade 3 math standards

Start with a full-length practice test!

Step-by-Step Answer Keys

- ✓ Every question worked out, not just an answer
- ✓ Friendly, third-grade-ready explanations
- ✓ Catches and explains common misconceptions
- ✓ Parents can help even without a math background

Learn from every mistake!

Single-Skill Worksheets

- ✓ Targets one Grade 3 math skill per page
- ✓ Covers place value, multiplication, fractions, measurement, geometry
- ✓ Includes a Quick Review + Practice + Word Problems
- ✓ Built-in friendly Answer Key for self-checking

Master one skill at a time!