

Division Property of Exponents

Name: _____ Date: _____ Score: _____ / 18

Quick Review and Helpful Hints

When you divide powers with the *same base*, keep the base and *subtract* the exponents:
 $\frac{x^a}{x^b} = x^{a-b}$ (for $x \neq 0$). When a quotient is raised to a power, the power applies to top and bottom: $\left(\frac{x}{y}\right)^a = \frac{x^a}{y^a}$. Divide the number coefficients separately from the variables.

▶ **Example:** Simplify $\frac{x^7}{x^3}$. **Work:** The base x is the same on top and bottom, so keep the base and subtract the exponents: $7 - 3 = 4$. ★ **Answer:** x^4

◆ Practice Problems

Simplify each quotient. Assume no variable equals zero.

- | | |
|--|---|
| <p>1. $\frac{x^6}{x^2}$ _____</p> | <p>8. $\left(\frac{x}{y}\right)^3$ _____</p> |
| <p>2. $\frac{y^9}{y^5}$ _____</p> | <p>9. $\frac{15a^6}{5a^4}$ _____</p> |
| <p>3. $\frac{2^8}{2^3}$ _____</p> | <p>10. $\frac{b^{12}}{b^7}$ _____</p> |
| <p>4. $\frac{a^{10}}{a}$ _____</p> | <p>11. $\frac{20m^9}{4m^9}$ _____</p> |
| <p>5. $\frac{m^5}{m^5}$ _____</p> | <p>12. $\frac{p^5q^8}{p^2q^3}$ _____</p> |
| <p>6. $\frac{12x^7}{4x^2}$ _____</p> | <p>13. $\frac{x^{10}}{x^4}$ _____</p> |
| <p>7. $\frac{x^8y^4}{x^3y}$ _____</p> | <p>14. $\frac{6^9}{6^6}$ _____</p> |

◆ Word Problems

15. A rectangle has area x^9 square units and width x^4 units. Its length is area divided by width. Write the length as a power of x . _____
16. A jar holds 10^8 tiny grains, split equally among 10^2 bags. How many grains per bag? Write the answer as a power of 10. _____
17. The volume of a box is $24y^7$ and its base area is $6y^3$. The height is volume divided by base area. Find the height. _____
18. A design file scales both the width and height by the same factor a^6 . The ratio includes $\frac{a^6}{a^6}$. Simplify the ratio factor. _____



Answer Keys

1. x^4

2. y^4

3. 2^5

4. a^9

5. 1

6. $3x^5$

7. x^5y^3

8. $\frac{x^3}{y^3}$

9. $3a^2$

10. b^5

11. 5

12. p^3q^5

13. x^6

14. 6^3

15. x^5

16. 10^6

17. $4y^4$

18. 1

Step-by-Step Explanations

1. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Dividing powers of the same base cancels matching factors, so you subtract the exponents: $6 - 2 = 4$, giving x^4 . So the final answer is x^4 .

2. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Subtract the exponents: $9 - 5 = 4$, so y^4 . So the final answer is y^4 .

3. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Keep the base 2 and subtract: $8 - 3 = 5$, so 2^5 (which is 32). So the final answer is 2^5 .

4. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is The lone a is a^1 , so $10 - 1 = 9$, giving a^9 . So the final answer is a^9 .

5. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Equal exponents subtract to 0, and $m^0 = 1$ - any quantity divided by itself is 1. So the final answer is 1.

6. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Handle numbers and variables separately: $12 \div 4 = 3$ and $x^{7-2} = x^5$, giving $3x^5$. So the final answer is $3x^5$.

7. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Subtract exponents base by base: $x^{8-3} = x^5$ and $y^{4-1} = y^3$, so x^5y^3 . So the final answer is x^5y^3 .

8. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is A power on a quotient reaches top and bottom: $\frac{x^3}{y^3}$. So the final answer is $\frac{x^3}{y^3}$.

9. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Divide the coefficients ($15 \div 5 = 3$) and subtract exponents ($6 - 4 = 2$): $3a^2$. So the final answer is $3a^2$.

10. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Subtract the exponents: $12 - 7 = 5$, so b^5 . So the final answer is b^5 .

11. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is The variables cancel completely ($m^{9-9} = m^0 = 1$), leaving just $20 \div 4 = 5$. So the final answer is 5.

12. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Subtract within each base: $p^{5-2} = p^3$ and $q^{8-3} = q^5$, giving p^3q^5 . So the final answer is p^3q^5 .

13. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Subtract the exponents: $10 - 4 = 6$, so x^6 . So the final answer is x^6 .

14. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Same base 6, subtract: $9 - 6 = 3$, so 6^3 . So the final answer is 6^3 .

15. Step by step: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Length is area divided by width: $\frac{x^9}{x^4} = x^5$. So the final answer is x^5 .

16. Take it one move at a time: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Split the grains evenly among the bags: $\frac{10^8}{10^2} = 10^6$ per bag. So the final answer is 10^6 .

17. Start by naming the process: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is Height is volume over base area: $\frac{24y^7}{6y^3} = 4y^4$. So the final answer is $4y^4$.

18. A good way to think about this is: Read what the problem is asking, choose the matching rule, write the setup, and then simplify one step at a time. The setup/work is A quantity divided by itself is 1, since $a^{6-6} = a^0 = 1$. So the final answer is 1.



Keep Building TABE Math Skills

Recommended Effortless Math resources



The Most Comprehensive TABE Math Preparation Bundle

Use the complete TABE Math resource for review, worked examples, extra practice, and test-style questions after each worksheet.



Scan Me
Download Instantly

STUDENT FAVORITE - TABE Math for Beginners



TABE Math for Beginners 2026

Step-by-step lessons, topic practice, and full review support for students who want a calm path through TABE Math preparation.

A strong companion for self-study, tutoring, homework, and targeted review.

PDF Edition



Scan Me
Download Instantly

For more TABE Math prep, visit EffortlessMath.com/TABE